FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK
LOG BOOK

OF THE

U.S.S. ABILITY

(MSO-519)
IDENTIFICATION NUMBER

COMMANDED BY

T. B. POTTER JR. LT., U. S. N.

Attached to MINDIV 85 Division,
MINRON 8 Squadron,
— Flotilla,
U.S. ATLANTIC Fleet,
6th. Naval District,

Commencing 0001Q / OCTOBER, 1964,
(zone time and date)

at SAN JUAN, PUERTO RICO,
(location)

and ending 2400R 31 OCTOBER, 1964,
(zone time and date)

at GUANTANAMO BAY, CUBA
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-379) ZONE DESCRIPTION +4 DATE THURSDAY (Day) / 1 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM SAN JUAN, PUERTO RICO TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	120	6	8	SCT	29.95	80	77	5	3000	Cu Ci			
02	120	8	8	SCT	29.95	80	77	5	3000	Cu Ci			
03	135	9	8	SCT	29.96	80	77	7	3000	Cu Ci			
04	115	8	8	BKN	29.96	80	77	7	3000	Cu Ci			
05	115	6	8	BKN	29.97	80	77	6	3000	Cu Ci			
06	110	6	8	BKN	29.98	80	78	6	3000	Cu Ci			
07	095	7	8	BKN	29.98	81	77	5	3000	Cu Ci			
08	085	8	8	SCT	3000	83	78	5	3000	Cu Ci			
09	090	7	8	SCT	3000	85	79	4	3000	Cu Ci			
10	090	6	8	SCT	3001	85	78	6	3000	Cu Ci			
11	085	8	8	BKN	3000	88	80	6	3000	Cu Ci			
12	110	9	8	BKN	2999	89	80	7	3000	Cu Ci			
13	105	10	8	BKN	2998	89	79	8	3000	Cu Ci			
14	105	12	8	BKN	2996	89	79	8	3000	Cu Ci			
15	095	12	8	BKN	2995	86	75	8	3000	Cu Ci			
16	100	9	8	BKN	2994	86	75	8	3000	Cu Ci			
17	095	10	8	BKN	2995	87	76	9	3000	Cu Ci			
18	090	10	8	RW	2997	83	75	10	3000	Cu Ci			
19	090	9	8	RW	2998	80	74	8	3000	Cu Ci			
20	090	9	8	BKN	2999	79	74	5	3000	NB Ci			
21	095	9	8	SCT	2999	79	75	4	3000	Cu Ci			
22	105	9	8	SCT	3000	79	75	5	3000	Cu			
23	095	12	8	SCT	3000	80	75	4	3000	Cu			
24	090	14	8	SCT	3000	82	75	5	3000	Cu			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 519

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS AT TENDER PIER SAN JUAN PUERTO RICO. USING STANDARD MOORING LINES DOUBLED. USS BALCH IS MOORED OUTBOARD TO PORT. SOPA IS CMD 85 EMBARKED THIS SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US ATLANTIC FLEET DISTRICT CRAFT AND MERCHANTS, RECEIVING VARIOUS SERVICES FROM THE PIER SHIPS IN READINESS CONDITION V MATERIAL CONDITION YOKE IS SET.

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION ABSENTEES; NONE.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 1 (Date) OCTOBER (Month) 64

Ø8-12 MOORED AS BEFORE. 1132 MADE DAILY INSPECTION OF MAGAZINE: CONDITIONS NORMAL.

F B Clark, Jr
Ensign, USNR

12-16 MOORED AS BEFORE.

F B Clark, Jr
Ensign, USNR

16-2Ø MOORED AS BEFORE.

F B Clark, Jr
Ensign, USNR

2Ø-24 MOORED AS BEFORE.

F B Clark, Jr
Ensign, USNR.

APPROVED: EXAMINED:

W B Botts Jr LT U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE FRIDAY (Day) 2 (Date) OCTOBER (Month), 19 64

AT/~~PASSAGE FROM~~ SAN JUAN, PUERTO RICO TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	12	10	SCT	2998	79	75	3	4000	Cu			
02	090	14	10	SCT	2996	78	75	3	4500	Cu			
03	090	13	10	SCT	2996	78	75	4	4500	Cu			
04	110	10	10	SCT	2997	78	75	3	4000	Cu			
05	095	9	10	SCT	2997	78	76	3	4000	Cu			
06	090	10	10	SCT	2998	79	77	2	4000	Cu			
07	090	11	10	SCT	2998	79	77	3	4500	Cu			
08	115	10	10	SCT	3000	82	79	3	4500	Cu			
09	105	10	10	SCT	3001	86	80	4	4000	Cu			
10	110	12	10	BKN	3002	87	81	6	3500	Cu Cl			
11	110	12	10	BKN	3002	87	80	7	3500	Cu Cl			
12	115	10	10	BKN	3000	89	79	6	3500	Cu Cl			
13	110	10	10	BKN	3000	89	80	6	3500	Cu Cl			
14	110	13	10	BKN	2999	89	79	6	3500	Cu Cl			
15	120	12	8	BKN	2997	88	79	8	2500	Cu Cl			
16	115	8	7	RW	2996	83	78	9	2000	Cb Cl			
17	120	10	6	RW	2995	80	75	9	2000	Cb Cl			
18	120	10	8	BKN	2996	80	75	7	2000	Cu Cl			
19	115	7	8	BKN	2997	78	74	6	3000	Cu Cl			
20	110	8	8	SCT	2998	78	74	4	3500	Cu Cl			
21	095	8	10	SCT	2998	78	74	3	4000	Cu			
22	100	8	10	SCT	2999	79	74	2	4000	Cu			
23	105	9	10	SCT	3001	79	75	2	4000	Cu			
24	100	8	10	SCT	3001	79	75	3	4000	Cu			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS STARBOARD SIDE TO TENDER PIER AT U.S. NAVAL STATION, SAN JUAN, PUERTO RICO WITH USS SALUTE (MSO 47Ø) OUTBOARD TO PORT. SOPA IN THIS SHIP IS COMINDIV 85. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

J B Clark, Jr
Ensign, USNR

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW AT QUARTERS
ABSENTEES: NONE.

J B Clark, Jr
Ensign, USNR.

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY 2 OCTOBER 19 64
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE. 0850 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL. 0900 MADE WEEKLY TEST OF MAGAZINE SPRINKLING AND FLOODING SYSTEM. CONDITIONS SATISFACTORY.

[signature] LTJG

1200-1600 MOORED AS BEFORE.

[signature]
LTJG USNR

1600-2000 MOORED AS BEFORE.

[signature]
LTJG USNR

2000-2400 MOORED AS BEFORE.

[signature]
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE SATURDAY 3 OCTOBER (Day) (Date) (Month), 19 64

AT/~~PASSAGE~~ FROM SAN JUAN, PUERTO RICO TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	12	10	SCT	3000	79	75	3	4000	Cu			
02	105	10	10	SCT	2998	79	76	3	4000	Cu			
03	090	12	10	SCT	2997	79	76	3	4000	Cu			
04	105	7	10	SCT	2996	79	75	2	3000	Cu			
05	110	8	10	SCT	2996	78	74	3	3000	Cu			
06	110	6	10	SCT	2996	78	74	4	3000	Cu Cl			
07	120	8	10	SCT	2997	79	75	4	3000	Cu Cl			
08	120	10	10	SCT	2997	82	74	3	3500	Cu			
09	120	12	10	SCT	2998	84	75	4	4000	Cu Cl			
10	130	14	10	BKN	2999	86	77	6	3000	Cu Cl			
11	125	15	10	BKN	2999	88	80	7	3000	Cu Cl			
12	130	14	10	BKN	2998	89	79	7	3000	Cu Cl			
13	120	12	10	BKN	2997	89	78	7	3000	Cu Cl			
14	120	10	8	BKN	2997	89	79	8	3000	Cu Cl			
15	095	10	7	RW	2995	90	80	9	2500	Cb Cl			
16	090	13	6	BKN	2994	89	80	8	2000	Cb Cl			
17	090	10	6	RW	2995	89	80	9	2000	Cb Cl			
18	095	12	8	BKN	2995	88	79	7	3000	Cu Cl			
19	090	14	8	BKN	2995	87	78	6	3000	Cu Cl			
20	080	12	10	BKN	2996	85	78	6	3000	Cu Cl			
21	075	10	10	BKN	2996	83	77	7	3000	Cu Cl			
22	075	10	10	BKN	2997	82	77	7	3500	Cu Cl			
23	090	8	10	BKN	2997	82	77	6	3500	Cu Cl			
24	090	8	10	BKN	2997	80	76	6	3500	Cu Cl			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 980

REMARKS

04-04 MOORED IN A NEST OF TWO SHIPS STARBOARD SIDE TO TENDER PIER AT US NAVAL STATION, SAN JUAN, PUERTO RICO, WITH USS SALUTE (MSO-470) OUTBOARD TO PORT. SOPA: COMINDIV 8S IN THIS SHIP. SHIPS PRESENT INCLUDE UNITS of US ATLANTIC FLEET PLUS MISCELLANEOUS YARD CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION of READINESS V WITH MATERIAL CONDITION YOKE SET.

[signature]
LTJG USN

~~04~~ 04-08 MOORED AS BEFORE.

[signature]
LTJG USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 3 (Date) OCTOBER (Month), 19 64

08-12 Moored as before. 0952 Made daily inspection of magazine; conditions normal.

Stuart W. Seth Jr.
Ens., USN

12-16 Moored as before.

Stuart W. Seth Jr.
Ensign, USN

16-20 Moored as before.

Stuart W. Seth Jr.
Ensign, USN

20-24 Moored as before.

Stuart W. Seth Jr.

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE SUNDAY 4 OCTOBER (Day) (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ SAN JUAN, PUERTO RICO ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	8	10	BKN	2998	78	74	6	3500	Cu Cl			
02	090	8	10	BKN	2998	76	73	6	3500	Cu Cl			
03	100	10	10	BKN	2999	76	73	6	3500	Cu Cl			
04	105	8	10	BKN	2999	75	72	6	3500	Cu Cl			
05	090	7	10	BKN	3000	75	72	6	4000	Cu Cl			
06	090	6	10	BKN	3001	75	72	6	4000	Cu Cl			
07	095	8	8	BKN	3001	78	74	7	3500	Cu Cl			
08	095	7	8	BKN	3002	80	76	8	3500	Cu Cl			
09	095	8	8	BKN	3002	81	77	8	3000	Cu Cl			
10	105	8	8	BKN	3001	90	80	8	3000	Cu Cl			
11	110	6	8	BKN	2999	90	81	7	3000	Cu Cl			
12	105	6	8	BKN	2998	94	84	8	4000	Sc Cl			
13	100	7	8	BKN	2997	93	82	8	4000	Sc Cl			
14	100	8	8	BKN	2996	91	81	7	4000	Sc Cl			
15	115	10	8	BKN	2994	89	80	7	4000	Sc Cl			
16	110	7	10	SCT	2994	88	80	5	4500	Sc Cl			
17	110	8	10	SCT	2994	88	80	4	5000	Sc Cl			
18	120	8	10	SCT	2995	88	80	5	4000	Cu Cl			
19	120	10	10	SCT	2995	87	80	5	4000	Cu Cl			
20	110	12	10	SCT	2995	87	79	5	4000	Cu Cl			
21	110	8	10	SCT	2996	86	78	4	3500	Cu			
22	110	8	10	SCT	2996	84	78	4	3500	Cu			
23	095	9	10	SCT	2996	82	77	5	3500	Cu			
24	105	8	10	SCT	2996	80	76	4	3500	Cu			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 355

REMARKS

00-04 Moored in a nest of two ships starboard side to tender pier, San Juan, P.R. USS SALUTE, (MSO-478) moored outboard to port. 3 ships present include units of the US Atlantic Flt and U.S. Coast Guard. SOPA is W.E. Fowler, Cdr. USN, COMINDIV 85, embarked aboard this ship. Receiving miscellaneous services from the pier. 3 ships is in condition of Readiness V with material condition Yoke set.

Stuart W. Settle Jr.
Ensign, USN

04-08 Moored as before. 0745 Mustered the crew on station; absentees: none.

Stuart W. Settle Jr.
Ensign, USN

APPROVED:

[signature] LT U.S.N. COMMANDING

EXAMINED:

[signature] LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY 4 OCTOBER 19 64
(Day) (Date) (Month)

0-8 MOORED AS BEFORE. 0-4 MADE DAILY INSPECTION OF MAGAZINES CONDITIONS NORMAL.

J A King
LTjg USNR

8-12 MOORED AS BEFORE.

J A King
LTjg USNR

12-16 MOORED AS BEFORE.

J A King
LTjg USNR

16-20 MOORED AS BEFORE

J A King
LTjg USNR

20-24 MOORED AS BEFORE.

J A King
LTjg USNR

APPROVED: EXAMINED:

R B Bottorff LT U.S.N. COMMANDING D Brennan LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE MONDAY (Day) 5 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM SAN JUAN, PUERTO RICO TO OPERATIONS OFF VIEQUES ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	7	10	SCT	2996	80	75	4	3500	Cu			
02	100	8	10	SCT	2996	82	76	4	3500	Cu			
03	095	6	10	SCT	2997	81	76	3	4000	Cu			
04	105	6	10	SCT	2997	80	75	3	4000	Cu			
05	100	5	10	SCT	2998	78	74	3	4500	Cu			
06	100	6	10	SCT	2999	77	74	2	4500	Cu			
07	110	7	10	SCT	2999	78	74	3	4500	Cu			
08	110	8	10	SCT	2998	80	75	4	4000	Cu	86	—	0
09	115	9	10	SCT	2998	83	77	4	4000	Cu	86	110	3
10	120	10	10	BKN	2996	83	77	6	4000	Cu Ci	86	115	2
11	115	10	12	BKN	2996	84	77	7	4000	Cu Ci	86	115	2
12	115	12	12	BKN	2995	84	77	6	3500	Cu Ci	86	110	2
13	120	10	12	SCT	2993	85	78	4	4500	Cu	86	115	2
14	130	12	12	SCT	2991	87	78	4	4500	Cu	86	115	2
15	135	10	12	SCT	2990	88	79	4	4500	Cu	86	115	2
16	130	10	12	SCT	2990	85	78	4	5000	Cu Ci	86	120	2
17	120	10	12	SCT	2990	84	78	4	5000	Cu Ci	86	120	2
18	120	8	12	SCT	2991	83	76	3	4500	Cu Ci	86	120	2
19	115	10	10	SCT	2993	83	76	3	3500	Cu Ci	86	120	2
20	110	9	10	SCT	2994	82	77	2	3500	Cu	86	115	2
21	110	10	10	SCT	2996	80	76	2	3500	Cu	86	110	1
22	110	12	10	SCT	2995	81	76	3	3500	Cu	86	115	1
23	095	9	10	SCT	2996	80	76	2	3500	Cu	86	115	1
24	095	8	10	SCT	2996	80	76	2	4000	Cu	86	110	1

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 18°-12.3'N		BY 3
λ 65°-19.8'W		BY 3
2000		
L 18°-04.3'N		BY 3
λ 65°-21.8'W		BY 3

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM — (ZT) — (Date)

TO — (ZT) — (Date)

SET —

DRIFT —

POSITION BETWEEN FIXES

MID. L —

MID. λ —

MILES STEAMED 0000-2400: 115.5

FUEL CONSUMED 0000-2400: 1585

REMARKS

0400-0404 MOORED IN A NEST OF TWO SHIPS STARBOARD SIDE TO TENDER PIER WITH USS SAUFLEY (DDG-466) OUTBOARD TO PORT AT U.S. NAVAL STATION, SAN JUAN, P.R. SOPA IS W.E. FOWLER, CDR, USN COMMANDING. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET. RECEIVING SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS IV WITH HISTORICAL CONDITION YOKE SET.

J.A. Lewis
LTJG USNR

0404-0408 MOORED AS BEFORE. 0405 SET SEA DETAIL. DRAFT 10'6" FWD, 11'6" AFT. 0727 USS SAUFLEY (DDG-466) UNDERWAY FROM PORT SIDE, PARTIN AND NAVIGATOR ON BRIDGE. 0733 UNDERWAY FROM TENDER PIER IN ACCORDANCE WITH CMDR OP-ORDER 8-64. MANEUVERING IN CHANNEL.

J.A. Lewis
LT/JGUSNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY 5 OCTOBER 19 64
(Day) (Date) (Month)

0800-1200 Steaming as before. 0806 Set the regular underway watch sections on deck. 0902 Made daily inspection of magazine; conditions normal. 0922 C/C 124°T. 0933 C/C 120°T 1005 C/C 115°T 1017 C/C 120°T 1034 C/C 145°T 1035 C/C 130°T 1112 C/C 123°T.

Stuart W. Scott Jr.
Ensign, USN

1200-1600 STEAMING AS BEFORE. 1230 C/C TO 180°T. 1237 SET CONDITION 1 MIKE. 1238 C/S TO 8.0 KTS. 1309 COMMENCED STREAMING INFLUENCE GEAR, MANEUVERING VARIOUS COURSES AND SPEEDS WHILE STREAMING GEAR. 1347 MK TAIL AND MK 4 VICTOR STOPPED OFF ON DECK. 1406 SET 2 MIKE Commenced PULSING GEAR. 1421 CEASED PULSING. 1510 COMMENCED PULSING GEAR. 1526 CEASED PULSING.

B. [illegible] Jr
LT(jg) USNR

1600-2000 Steaming as before. 160° C/S 10 knots. C/C 260°T 1609 Commenced pulsing all gear. 1611 C/C 275°T. 1617 C/S 9.5 kts. 1620 Ceased pulsing. 1621 C/C 240°T. Set condition 1 Mike. 1629 commenced disconnecting magnetic tail and recovering gear. 1710 All gear on deck. Secured flow condition 1 Mike and set condition 2 Mike. 1750 Set condition 1 Mike. 1845 C/S 4 kts. 1859 C/C 090 while streaming magnetic tail and sit take device in preparation for influence sweep of drill minefield.

Stuart W. Scott Jr.
Ensign, USN

2000-2400 STEAMING AS BEFORE. 2023 SET CONDITION 2 MIKE. COMMENCED PULSING GEAR. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE MINESWEEPING.

D. H. Kress
LT(jg) USNR

APPROVED: B. Potter Jr CT U.S.N. COMMANDING

EXAMINED: [illegible] CO U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE TUESDAY (Day) 6 (Date) OCTOBER (Month), 19 64

AT/~~PASSAGE FROM~~ VIEQUES ISLAND AREA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	8	10	SCT	2996	81	76	2	4000	Cu	86	110	1
02	095	10	10	SCT	2994	80	75	2	4000	Cu	86	110	1
03	095	10	10	SCT	2992	80	74	2	4000	Cu	86	100	1
04	095	12	10	SCT	2991	81	75	2	4000	Cu	86	105	1
05	110	10	10	SCT	2991	81	75	3	3500	Cu	86	100	1
06	110	8	10	SCT	2993	81	76	2	3500	Cu	86	100	1
07	095	8	10	SCT	2994	82	77	4	3500	Cu Cl	86	100	1
08	090	8	12	SCT	2994	83	76	4	3500	Cu Cl	86	100	1
09	100	10	12	SCT	2995	83	76	3	3000	Cu	86	100	2
10	105	12	12	SCT	2997	86	80	3	3000	Cu	86	090	2
11	110	13	12	SCT	2995	89	80	3	3000	Cu	86	090	2
12	110	12	12	SCT	2993	88	80	3	3500	Cu	86	095	2
13	110	10	12	SCT	2991	90	82	4	3500	Cu	86	095	2
14	120	10	12	SCT	2990	93	82	5	3000	Cu Cl	86	100	2
15	125	7	10	BKN	2989	87	79	6	2500	Cu Cl	86	100	2
16	115	8	10	BKN	2988	86	79	7	2500	Cb Cl	86	100	3
17	130	8	6	RW	2988	83	77	9	1500	Cb Cl	86	105	3
18	135	6	8	BKN	2988	80	76	7	2000	Cu Cl	86	105	3
19	120	7	8	BKN	2990	81	75	7	2000	Cu Cl	87	105	3
20	120	7	8	BKN	2992	81	75	6	2000	Cu Cl	87	110	3
21	115	9	8	BKN	2993	81	75	6	2000	Cu Cl	87	105	2
22	115	10	8	SCT	2993	80	74	4	3000	Cu	86	110	2
23	115	10	8	SCT	2994	80	74	4	3000	Cu	86	110	2
24	115	11	8	SCT	2994	81	75	3	3500	Cu	86	110	2

POSITION	ZONE	TIME
0800 L	18°-03.5'N	BY 3
λ	65°-23.1'W	BY 3
1200 L	18°-01.3'N	BY 3
λ	65°-24.3'W	BY 3
2000 L	18°-01.3'N	BY 3
λ	65°-35.5'W	BY 3

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM 2000 (ZT) 5 OCT. (Date) 1964

TO 0800 (ZT) 6 OCT. (Date) 1964

SET 275°T

DRIFT 0.3 KTS

POSITION BETWEEN FIXES

MID. L 18°-03.9'N

MID. λ 65°-22.6'W

MILES STEAMED 0000-2400: 121.5

FUEL CONSUMED 0000-2400: 1126

REMARKS

ØØ-Ø4 STEAMING IN MINESWEEPING FORMATION WITH USS SALUTE (MSO 47Ø) OFF VIEQUES ISLAND. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH MINEFIELD. OTC IS COMPHIBRON 4 IN USS FREMONT (APA 44). SHIPS PRESENT INCLUDE VARIOUS UNITS OF PHIBRON 4 AND USS SALUTE (MSO 47Ø). SHIP IS IN CONDITION OF READINESS 2 MIKE WITH MATERIAL CONDITION YOKE SET. Ø118 SOUNDED 1MIKE. Ø234 ALL MINESWEEPING GEAR CLEAR OF WATER. Ø235 SET CONDITION OF READINESS IV. Ø235 C/C 27Ø°T, C/S 4KNTS.

J B Clark, Jr
Ensign, USNR.

Ø4-Ø8 STEAMING AS BEFORE. Ø442 C/C TO Ø9Ø°T. Ø446 C/C TO Ø94°T. Ø536 C/C TO 267°T. Ø642 ~~TO~~ C/C TO 272°T. Ø658 C/C TO 275°T. Ø733 C/C TO Ø9Ø°T. Ø745 MUSTERED CREW ON STATION ABSENTEES. NONE. 1382

L T B Clark

APPROVED:

J G Bolly J LT U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 6 (Date) OCTOBER (Month), 19 64

0800-1200 Steaming as before. 0925 C/C 270°T, 0928 Made daily inspection of magazine; conditions normal. 1105 C/C 090°T. 1133 C/C 180°T.

Stuart W. Scott, Jr.
Ensign, USN

1200-1600 STEAMING AS BEFORE. 1257 C/C 020°T. 1310 C/C 320°T. 1320 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE. 1430 C/C 270°T. 1501. SOUNDED 1 MIKE. 1501 C/C 090°T 1516 C/C 085°T. 1541 ALL GEAR INWATER. 1533 C/S 8.0 KNTS

J.B. Clark, Jr
Ensign, USNR.

1600-2000 STEAMING AS BEFORE. 1604 C/S 8 kts. 1620 C/C 090°T. 1640 Entered minefield 1642 C/C 092°T. 1656 Ceased pulsing left minefield. 1715 C/C 270°T 1716 C/C 267°T. 1718 C/C 269°T. 1732 Commenced recovery of gear. 1757 All gear is clear of the water. 1800 Set the regular underway watch; on depth section 3. 1959 Commenced maneuvering at various courses and speeds during surface tracking exercise.

Stuart W. Scott, Jr.
Ensign, USN

2000-2400 STEAMING AS BEFORE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS SURFACE TRACKING DRILL. 2126 C/C TO 090°T, C/S 7 KTS. 2220 C/C TO 075°T.

J.A. Kemp
LTJG USNR

APPROVED: J.B. Bottle, Jr LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE WEDNESDAY (Day) 7 (Date) OCTOBER (Month), 19 64

~~AT~~/PASSAGE FROM VIEQUES ISLAND AREA TO NORTH COAST OF PUERTO RICO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	115	10	8	SCT	2992	82	77	3	3500	Cu	86	110	2
02	115	10	8	SCT	2990	82	77	3	3500	Cu	86	110	2
03	120	10	8	SCT	2991	81	77	3	3500	Cu	86	115	2
04	125	12	8	SCT	2990	82	77	3	3500	Cu	86	110	2
05	115	12	8	SCT	2992	81	77	4	3000	Cu	87	110	2
06	115	10	8	BKN	2993	81	77	6	2000	Cb Ci	87	105	2
07	110	8	8	BKN	2994	84	78	7	2000	Cb Ci	87	110	2
08	115	9	10	SCT	2996	83	77	4	2500	Cu Ci	86	105	2
09	110	10	10	SCT	2998	86	78	3	3000	Cu	86	105	2
10	110	12	10	SCT	2999	85	78	3	4000	Ci	86	100	3
11	110	10	10	SCT	2998	88	81	3	4000	Ci	86	100	3
12	110	10	10	SCT	2998	89	81	3	3000	Ci	86	100	2
13	090	8	10	SCT	2996	89	81	4	3000	Cu Ci	86	090	2
14	105	8	10	BKN	2994	88	80	6	3000	Cb Ci	86	095	2
15	095	8	10	SCT	2993	87	80	4	3000	Cu Ci	86	090	2
16	095	9	10	SCT	2991	87	80	4	3000	Cu Ci	86	090	1
17	090	7	10	SCT	2991	87	80	4	3000	Cu Ci	86	095	1
18	100	8	10	SCT	2991	86	80	3	3000	Cu Ci	87	095	1
19	105	8	12	SCT	2991	83	78	4	4000	Cu Ci	87	100	1
20	105	7	12	SCT	2992	83	78	3	4000	Ci	87	100	1
21	100	8	12	SCT	2992	83	78	3	4000	Cu	87	095	1
22	110	8	12	SCT	2993	82	77	3	4000	Cu	87	095	1
23	105	8	12	SCT	2993	81	77	3	4000	Cu	87	100	1
24	110	8	12	SCT	2994	81	78	3	4000	Cu	86	100	1

POSITION	ZONE	TIME
0800 L 18°-04.3'N	BY	3
λ 65°-24.7'W	BY	3
1200 L 18°-01.4'N	BY	3
λ 65°-25.2'W	BY	3
2000 L 18°-01.9'N	BY	3
λ 65°-26.1'W	BY	3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM — (ZT) — (Date)

TO — (ZT) — (Date)

SET —

DRIFT —

POSITION BETWEEN FIXES

MID. L —

MID. λ —

MILES STEAMED 0000-2400: 136.0

FUEL CONSUMED 0000-2400: 2024

REMARKS

0400-04 STEAMING INDEPENDENTLY OF VIEQUES ISLAND BASE COURSE 090°T SPEED 4.0 KTS. OTC: COMPHIBRON 4 IN USS FREMONT (APA-44). SHIPS PRESENT INCLUDE UNITS OF PHIBRON 4 PLUS USS SALUTE (MSO-478). SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. 0044 C/C TO 270°T. 0226 C/C TO 090°T.

LT JG USN

0400-08 STEAMING AS BEFORE 0425 C/C 270°T 0608 C/C 090° 0644 C/C 000 0725 C/C 220 S/S 2 0744 C/C 270 0745 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE.

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 7 (Date) OCTOBER (Month), 19 64

0800-1200 STEAMING AS BEFORE. 0832 C/C 270° T. 0850 MANEUVERING AT VARIOUS COURSES AT VARIOUS SPEEDS TO TAKE PHIBRON 4 BOAT ALONGSIDE TO STARBOARD. 0856 C/C 230° T C/S 2 KNTS. 0952 C/C 130° T C/S 7 KNTS. 0954 C/C 050° T. 0955 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO PLANT SONAR TARGET. 1047 MADE DAILY INSPECTION OF MAGAZINE, CONDITIONS NORMAL. 1124 RECOVERED SONAR TARGET AND SECURED FROM DRILL. C/C 180° T C/S 6 KNTS.

F B Clark, Jr
Ensign, USNR.

1200-1600 Steaming as before. 1209 C/C 320° T. 1222 C/S 10 kts. 1245 Set condition 1 Mike. 1258 C/C 100° T. 1300 Commenced streaming of moored and magnetic gear. 1407 Commenced pulsing at 6000 Amps. 1507 Ceased pulsing. 1527 Commenced recovering of minesweeping gear.

Stuart W. Seth, Jr.
Ensign, USN

1600-2000 STEAMING AS BEFORE. MANEUVERING VARIOUS COURSES AND SPEEDS WHILE RECOVERING GEAR. 1631 ALL GEAR ON DECK. C/C TO 090° T SPEED 3.0 KTS. SECURED 1 MIKE. SET REGULAR UNDERWAY WATCH. 1702 C/S TO 6.0 KTS. 1843 C/C TO 270° T C/S TO 10 KTS. 1859 C/C TO 000° T. C/S TO 12 KTS. ~~1915~~ 1913 C/C TO 220° T C/S TO 10.0 KTS. 1956 C/C TO 090° T. C/S TO 8.0 KTS.

LTJG USNR

2000-2400 STEAMING AS BEFORE. 2003 C/C TO 070° T. 2047 C/S TO 10 KTS. 2110 C/C TO 052° T. 2202 C/C TO 000° T.

Lt USNR

0400-0800 STEAMING AS BEFORE. 0531 C/C 270, 0608 C/C 090, 064 C/C 000 0705 C/C 220 0744 C/C 270 0745 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE. 0755 C/C 090.

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE THURSDAY 8 OCTOBER (Day) (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ NORTH COAST OF PUERTO RICO TO MINE HUNTING

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	110	7	10	SCT	2992	81	77	3	4000	Cu	86	100	1
02	105	3	10	SCT	2991	81	77	2	4000	Cu	86	100	1
03	—	0	10	SCT	2989	81	77	2	4000	Cu	86	090	1/2
04	—	0	10	SCT	2990	81	77	2	4000	Cu	86	—	0
05	—	0	10	SCT	2990	80	77	2	4000	Cu	87	—	0
06	—	0	10	SCT	2992	78	75	3	3500	Cu	87	—	0
07	100	3	10	SCT	2993	79	76	5	3000	Cu Ci	86	—	0
08	090	4	10	BKN	2995	82	78	6	3000	Cu Ci	86	—	0
09	085	7	12	BKN	2996	87	82	8	3500	Cu Ci	86	080	1/2
10	080	8	12	SCT	2995	89	83	5	4000	Cu	86	080	1/2
11	090	8	12	SCT	2993	89	83	5	4000	Cu	86	085	1
12	090	8	12	SCT	2991	90	82	5	4000	Cu	86	080	1
13	090	10	12	SCT	2989	90	82	5	4000	Cu	86	070	2
14	085	10	12	SCT	2987	88	81	4	4000	Cu	86	075	2
15	090	12	12	SCT	2985	85	79	5	4000	Cu Ci	86	075	2
16	090	15	12	SCT	2986	84	79	5	4000	Cu Ci	86	080	3
17	100	16	12	BKN	2986	83	78	6	3000	Cu Ci	86	070	4
18	100	10	12	BKN	2988	83	77	6	3000	Cu Ci	86	070	4
19	090	12	12	BKN	2990	83	77	7	3000	Cu Ci	86	065	3
20	085	12	12	BKN	2992	80	75	6	3000	Cu Ci	86	070	3
21	080	10	12	SCT	2991	81	75	4	3000	Cu	86	075	3
22	080	10	12	SCT	2991	81	75	4	3000	Cu	86	075	3
23	090	10	10	SCT	2990	82	76	4	2500	Cu	86	080	3
24	080	13	10	SCT	2990	82	77	5	2500	Cu	86	080	2

POSITION	ZONE	TIME
0800 L	18°-30.1'N	BY 3
λ	66°-30.4'W	BY 3
1200 L	18°-30.6'N	BY 3
λ	66°-29.7'W	BY 3
2000 L	18°-34.8'N	BY 3
λ	66°-11'W	BY 3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM 1200 (ZT) 8 OCT. (Date) 1964

TO 2000 (ZT) 8 OCT (Date) 1964

SET 272°T

DRIFT 0.4 KTS

POSITION BETWEEN FIXES

MID. L 18°-32.7'N

MID. λ 66°-20.3'W

MILES STEAMED 0000-2400: 201.5

FUEL CONSUMED 0000-2400: 1217

REMARKS

00-04 STEAMING INDEPENDENTLY OFF PUERTO RICO. BASE COUSE 000°T SPEED 10 KNOTS. OTC IS COMINDIV 85 IN THIS SHIP. SHIPS PRESENT INCLUDE USS SALUTE (MSO 470) SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET. 0000 C/S 13 KNOTS C/C 270°T.

J. D. Clark, Jr
Ensign, USNR.

04-08 STEAMING AS BEFORE 0645 C/S 11KTS 0655 C/S 12KTS 0706 C/C 13 0709 C/S 11KTS 0731 ALL STOP MAKING BT DROP. 0738 C/S 2 BC/C 125 0740 MANUEVERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE MINE HUNTING. 0745 MOSTERED THE CREW AT QUARTERS ABSENTEES NONE.

APPROVED:

[signature] LT U.S.N. COMMANDING

EXAMINED:

[signature] LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 8 (Date) OCTOBER (Month), 19 64

Ø8-12 STEAMING AS BEFORE. Ø910 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL. 1015 DROPPED BUOY MARKING SONAR CONTACT. 1039 PICKED ANOTHER. 1102 EOD DIVERS DISEMBARKED.

J H King
LT, USNR

12-16 STEAMING AS BEFORE. 115Ø STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE MINEHUNTING. 1348 C/C 27Ø°T C/S 4 KNOTS. 1437 C/C 295°T 1456 C/C 27Ø°T. 1516 C/S 6 KNOTS. 1555 C/C Ø9Ø°T.

J B Clark, Jr
Ensign, USNR.

16-2Ø STEAMING AS BEFORE. 16ØØ C/S 4 KNTS. 1622 C/C 3Ø5°T C/S 8 KNOTS. 1624 STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO TAKE STATION ON USS SALUTE (MSO 47Ø) FOR TRANSFER OF MAIL BY LIGHT LINE. 1645 C/C TO Ø9Ø°T C/S 8 KNOTS. 182Ø C/C Ø8Ø°T.

J B Clark, Jr
Ensign, USNR.

20-24 STEAMING AS BEFORE. 2035 Ø90. 2310 C/C 100.

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE FRIDAY (Day) 9 (Date) OCTOBER (Month), 19 64

~~AT~~/PASSAGE FROM SHIP'S EXERCISES, N. COAST OF PUERTO RICO TO SAN JUAN, PUERTO RICO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	8	8	BKN	2988	81	77	7	2500	$Cu\,C_1$	86	080	2
02	090	10	7	D	2987	80	77	9	2000	$ST\,C_1$	86	080	2
03	090	12	6	RW	2986	77	75	10	2000	$NS\,C_1$	86	085	2
04	090	8	6	RW	2987	77	75	10	1500	$NS\,C_1$	86	085	2
05	110	6	7	D	2989	78	75	9	1500	$ST\,C_1$	86	095	2
06	110	6	8	BKN	2990	78	75	9	2000	$ST\,C_1$	86	090	2
07	115	5	10	BKN	2990	79	76	8	3000	$Cu\,As$	86	090	2
08	110	6	10	BKN	2991	80	76	8	3500	$Cu\,As$	86	095	2
09	120	8	10	BKN	2992	82	77	9	3500	$Cu\,C_1$	86	100	2
10	120	8	10	BKN	2991	81	77	8	3500	$Cu\,C_1$	86	100	2
11	125	10	10	BKN	2990	81	77	8	3000	$Cu\,C_1$	86	100	1
12	120	12	10	OVC	2990	81	77	10	3000	$Cu\,C_1$			
13	120	8	10	OVC	2988	81	78	10	3000	$Cu\,C_1$			
14	115	7	10	BKN	2986	83	80	8	3000	$Sc\,C_1$			
15	115	5	10	BKN	2985	84	80	8	3000	$Sc\,C_1$			
16	120	6	10	BKN	2986	87	83	9	3500	$Sc\,C_1$			
17	110	6	10	BKN	2987	87	83	8	3500	$Sc\,C_1$			
18	110	4	10	BKN	2989	85	80	8	4000	$Sc\,C_1$			
19	095	6	10	BKN	2989	84	78	7	4000	$Sc\,C_1$			
20	100	7	10	BKN	2988	84	78	8	4000	$Sc\,C_1$			
21	100	8	10	BKN	2988	84	78	8	4000	$Sc\,C_1$			
22	105	8	10	BKN	2989	83	78	7	3000	$Cu\,C_1$			
23	090	6	10	BKN	2989	83	78	7	3000	$Cu\,C_1$			
24	095	6	10	BKN	2988	82	78	7	3000	$Cu\,C_1$			

POSITION	ZONE	TIME
0800		
L 18°-35'N	BY	3
λ 66°-37.7'W	BY	3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 104.9

FUEL CONSUMED 0000–2400: 504

REMARKS

Ø0-Ø4 STEAMING INDEPENDENTLY OFF COAST OF SAN JUAN, PUERTO RICO. OTC IS COMINCEN 85 IN THIS SHIP. STEAMING ON COURSE 270°T, SPEED 8 KTS. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. Ø325 C/C TO 275°T.

R B Clark Jr
LTJG USNR

Ø4-Ø8 STEAMING AS BEFORE. Ø71Ø C/C 27Ø°T. Ø745 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE.

J B Clark, Jr
Ensign, USNR.

APPROVED: T G Bottoms LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY 9 OCTOBER, 19 64
(Day) (Date) (Month)

0800-1200 STEAMING AS BEFORE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS IN SURFACE TRAILING DRILL. 0855 COMPLETED EXERCISE. 0900 EXERCISED THE CREW AT GENERAL QUARTERS. 1030 SECURED FROM GENERAL QUARTERS. 1055 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL. 1130 SET SEA DETAIL. 1100 MADE WEEKLY INSPECTION OF MAGASINES & PRINKLER SYSTEM.

J A Kelly
LTJG USNR

1200-1600 STEAMING AS BEFORE. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS IN CONFORMANCE TO CHANGES INTO SAN JUAN HARBOR. 1232 MOORED STARBOARD SIDE TO PIER 2 OUTBOARD USS SAMUEL (MSO-470), U.S. NAVAL STATION, SAN JUAN, P.R. 1240 SECURED SEA DETAIL. SET CONDITION V.

J Greenage
ENS USN

1600-2000 MOORED AS BEFORE.

J E Clark, Jr
Ensign, USNR

2000-2400 MOORED AS BEFORE.

J E Clark, Jr
Ensign, USNR.

APPROVED: EXAMINED:

W B Cottingham LCDR U.S.N. COMMANDING J Greenage LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

1

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS AGILITY (MSO-519) ZONE DESCRIPTION +4 DATE SATURDAY (Day) 10 (Date) OCTOBER (Month), 19 64

AT/~~PASSAGE FROM~~ SAN JUAN, PUERTO RICO TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	110	5	10	BKN	2988	83	78	7	3000	Cu Cf			
02	115	4	10	BKN	2989	83	78	7	3500	Cu Cf			
03	120	4	10	BKN	2989	83	78	7	4000	Cu Cf			
04	120	5	8	BKN	2990	82	77	7	4000	Cu Ac			
05	115	3	7	BKN	2990	79	75	8	4000	Cu Ac			
06	130	3	7	BKN	2991	77	74	8	4000	Cu Ac			
07	130	3	7	BKN	2991	77	74	8	4500	Cu Ac			
08	145	3	6	BKN	2993	80	77	8	7000	Ac			
09	130	4	8	BKN	2994	85	80	8	9000	Ac			
10	130	6	10	BKN	2995	89	83	8	3500	Cu Ac			
11	135	6	10	BKN	2994	89	83	8	3500	Cu Ac			
12	120	7	10	BKN	2992	92	85	7	3500	Cu Ac			
13	115	8	10	BKN	2990	90	80	8	3500	Cu Ac			
14	110	8	10	BKN	2989	87	80	7	4000	Cu Ac			
15	115	5	10	BKN	2989	85	80	7	4000	Cu Ac			
16	—	0	10	BKN	2988	83	79	6	4000	Cu Ac			
17	—	0	10	BKN	2988	82	78	6	4000	Cu Ac			
18	—	0	10	SCT	2990	82	78	4	4500	Cu Cf			
19	—	0	10	SCT	2991	79	76	5	4500	Cu Cf			
20	115	3	10	SCT	2992	79	76	4	5000	Cu Cf			
21	110	3	10	SCT	2994	77	74	4	5000	Cu Cf			
22	110	2	10	SCT	2995	78	75	3	4000	Cu			
23	095	3	10	SCT	2994	77	75	4	4000	Cu			
24	110	4	10	SCT	2994	78	75	4	4000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 443

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS WITH USS SALUTE (MSO47Ø) OUTBOARD TO PORT, STARBOARD SIDE TO TENDER PIER, U.S. NAVAL STATION, SAN JUAN, PUERTO RICO. SOPA IS V.M. VISSERING, COR, USN, C.O. USS THOR (ARC 4). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

F.E. Clark, Jr
Ensign, USNR.

Ø4-Ø8. MOORED AS BEFORE. Ø745 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

F.E. Clark, Jr
Ensign, USNR.

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 10 (Date) OCTOBER (Month), 19 64

00-12 MOORED AS BEFORE. 1045 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS SATISFACTORY.

J A Klein
ENSIGN USNR

12-16 MOORED AS BEFORE.

J A Klein
ENSIGN USNR

16-20 MOORED AS BEFORE.

J A Klein
ENSIGN USNR

20-24 MOORED AS BEFORE.

J A Klein
ENSIGN USNR

APPROVED: EXAMINED:

[signature] LT U.S.N. COMMANDING [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE SUNDAY 11 OCTOBER , 19 64
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM SAN JUAN, PUERTO RICO TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	115	3	10	SCT	2994	78	74	2	4000	Cu			
02	120	2	10	SCT	2993	78	74	2	4000	Cu			
03	120	2	10	SCT	2993	77	74	3	3500	Cu			
04	125	8	10	BKN	2992	75	72	6	3000	St Cu			
05	145	2	8	RW	2992	74	71	9	2500	Cb Cu			
06	150	2	7	R	2993	74	72	10	2000	Ns Cu			
07	165	2	7	RW	2994	74	72	9	2000	Ns Cu			
08	130	3	8	BKN	2995	76	73	7	3000	Cu Cu			
09	125	3	8	BKN	2997	78	75	7	3000	Cu Cu			
10	120	3	8	BKN	2998	83	77	7	3000	Cu Ac			
11	115	2	8	BKN	2999	90	78	7	3000	Cu Ac			
12	115	5	8	BKN	2998	93	84	7	3500	Cu Ac			
13	120	6	10	BKN	2996	89	82	8	4000	Cu Ac			
14	120	7	10	BKN	2995	86	80	7	4000	Cu Cu			
15	110	6	10	BKN	2995	78	74	9	4000	Cu Cu			
16	130	4	7	RW	2994	78	74	9	2500	Cb Cu			
17	115	4	8	BKN	2994	79	74	9	3000	Cu Cu			
18	—	0	8	BKN	2992	79	75	8	3000	Cu Cu			
19	—	0	8	BKN	2992	79	76	7	3000	Cu Cu			
20	—	0	8	BKN	2991	79	76	8	3000	Cu Cu			
21	—	0	8	BKN	2991	78	75	8	3000	Cu Cu			
22	—	0	8	BKN	2992	76	73	8	3000	Cu Cu			
23	095	3	10	BKN	2991	78	75	8	4000	Cu Cu			
24	110	3	10	BKN	2991	78	75	8	4000	Cu Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 93

REMARKS

0400 - 0744 MOORED IN A NEST OF TWO SHIPS OUTBOARD USS SAMUEL (MSO-520) STARBOARD SIDE TO TENDER PIER, U.S. NAVAL STATION, SAN JUAN, PUERTO RICO. SOPA IS V.M. OSBORNE, CDR, USN, CO USS THOR (AGC-4). SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET. RECEIVING SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

J. H. Lewis
LT(jg) USNR

0744 - 0800 MUSTERED AS BEFORE. 0745 MUSTERED CREW ON STATION; ABSENTEES: NONE.

J. H. Lewis
LT(jg) USNR

APPROVED: J B Bottorff LT U.S.N. COMMANDING

EXAMINED: _____ LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY 11 OCTOBER 19 64
(Day) (Date) (Month)

0800-1200 Moored as before. 0930 Made daily inspection of magazines; conditions normal.

Stuart W. Smith, Jr.
Ensign, USN

1200-1600 Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

1600-2000 Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

2000-2400 Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: EXAMINED:

[signature] LT U.S.N. COMMANDING [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION 74 DATE MONDAY (Day) 12 (Date) OCTOBER (Month), 19 64

~~AT~~/PASSAGE FROM SAN JUAN, PUERTO RICO TO SANTO DOMINGO, DOMINICAN REPUBLIC

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	BKN	2990	78	75	8	4000	Cu Cg			
02	—	0	10	BKN	2991	78	75	8	4000	Cu Cg			
03	—	0	10	BKN	2992	78	75	7	3500	Cu Cg			
04	095	2	10	BKN	2992	77	74	7	3500	Cu Cg			
05	—	0	10	BKN	2994	76	74	6	3500	Cu Cg			
06	—	0	10	BKN	2995	75	72	6	3500	Cu Cg			
07	120	3	10	BKN	2996	75	72	6	4000	Cu Cg			
08	115	3	12	SCT	2997	77	74	4	4500	Cu Cg			
09	120	3	12	SCT	2999	86	82	1	20000	Cg	86	—	0
10	105	5	12	SCT	3000	93	85	1	20000	Cg	86	—	0
11	105	6	12	SCT	2999	91	83	3	20000	Cg	86	095	1
12	100	5	12	SCT	2997	90	83	3	7000	Ac Cg	86	090	1
13	090	4	12	SCT	2994	90	84	3	7000	Ac Cg	86	090	1
14	095	4	12	SCT	2992	92	85	2	8000	Ac Cg	86	095	1
15	100	6	12	SCT	2991	90	84	3	8000	Ac Cg	86	100	1
16	100	4	12	SCT	2990	87	83	4	8000	Ac Cg	86	100	1
17	095	4	12	SCT	2990	85	81	3	8000	Ac Cg	86	105	1
18	120	5	12	SCT	2991	82	78	3	8000	Ac Cg	86	105	1
19	115	5	12	SCT	2991	82	78	3	4500	Cu Cg	86	105	1
20	125	6	12	BKN	2993	82	78	6	5000	Cu Cg	86	110	1
21	120	6	12	SCT	2994	83	78	4	5000	Cu Cg	86	110	1
22	120	4	12	SCT	2994	82	78	4	5000	Cu Cg	86	115	1
23	115	4	12	SCT	2994	82	78	3	5000	Cu Cg	86	—	0
24	115	4	12	SCT	2994	82	78	4	5000	Cu Cg	86	—	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 18°-30.1'N		BY 3
λ 66°-30.1'W		BY 3
2000		
L 18°-52.2'N		BY 2-3
λ 67°-15'W		BY 2-3

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA	
FROM	1200 (ZT) 12 OCT. (Date) 1964
TO	2000 (ZT) 12 OCT. (Date) 1964
SET	285°T
DRIFT	0.2 Kts.
POSITION BETWEEN FIXES	
MID. L	18°-41.6'N
MID. λ	66°-53'W

MILES STEAMED 0000–2400
129.0

FUEL CONSUMED 0000–2400
1433

REMARKS

00-04. Moored starboard side to tender pier San Juan, P.R. in a nest of two ships with USS SALUTE, (MSO-478) outboard to port. SOPA is LT W.E. Fowler, CDR. USN, COMINDIV 85, embarked aboard this ship. Receiving miscellaneous services from the pier. Ships present include units of U.S. Atlantic Fleet and U.S. Coast Guard. Ship is in condition of Readiness I with material condition Yoke set.

Stuart W. Seth/E. J.
Ensign, USN.

04-08. Moored as before. 0715 Set the special sea detail. Mustered the crew on station; absentees: Kemp, Jack S. B 1/2 USN, attached to EOD unit embarked aboard. 0747 Underway en route Santo Domingo, D.R.

Stuart W. Seth/E. J.
Ensign, USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 12 (Date) OCTOBER (Month), 1964

0800-1200 Steaming as before. 0801 Maneuvering at various courses and speeds while standing out of San Juan Harbor. 0825 Set the regular underway watch, on deck section 2. 0827 C/C 275°T; C/S 10kts. 0920 Exercising the ship at general drills. 0946 Drills completed. 1020 Made daily inspection of magazine; conditions normal.

Stuart W. Smith, Jr.
Ensign, USN

12-16. STEAMING AS BEFORE. 1251 C/S 10 KNTS C/C 300°T 1301 C/C 130°T C/S 8 KNTS. 1315 C/C 270°T C/S 2 KNOTS. 1316 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO LAUNCH MOTOR WHALE BOAT. 1349 RECOVERED MOTOR WHALE BOAT. 1353 C/C 290°T C/S 9 KNOTS. 1354 C/S 12 KNTS. 1401 C/C 330°T 1407 C/C 270°T C/S 8 KNOTS. 1410 C/C 280°T 1414 C/S 3 KNOTS. 1418 MINESWEEPING GEAR IN WATER 1445 C/S 5 KNOTS.

J.B. Clark, Jr
Ensign, USNR.

16-20 Steaming as before 1645 All gear recovered. 1705 C/C 065°T 1753 C/S 8 kts 1815 C/C 305°T. C/S 8 kts. 1845 C/S 10 kts.

Stuart W. Smith, Jr.
Ensign, USN

20-24 STEAMING AS BEFORE. 2033 C/C TO 340°T.

J.M. Lewis
Lt USNR

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE TUESDAY (Day) 13 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM SAN JUAN, PUERTO RICO TO SANTO DOMINGO, DOMINICAN REPUBLIC

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	120	3	12	SCT	2993	82	78	4	5000	C_u C_1	86	—	0
02	120	3	12	SCT	2992	82	78	4	5000	C_u C_1	86	—	0
03	120	3	12	SCT	2991	83	78	4	5000	C_u C_1	86	—	0
04	120	4	12	SCT	2992	80	77	2	20000	C_1	86	—	0
05	120	7	12	SCT	2992	80	76	4	20000	C_1	86	—	0
06	120	7	12	SCT	2993	81	77	4	20000	C_1	86	—	0
07	115	6	12	SCT	2994	83	78	3	20000	C_1	84	—	0
08	110	6	12	SCT	2995	88	81	2	20000	C_1	84	—	0
09	115	5	12	SCT	2996	93	82	2	20000	C_1	84	—	0
10	120	5	12	SCT	2997	90	82	3	20000	C_1	84	—	0
11	130	5	12	SCT	2997	92	83	3	20000	C_1	84	—	0
12	125	6	12	SCT	2996	93	83	3	25000	C_1	84	—	0
13	115	4	12	SCT	2995	93	82	3	25000	C_1	85	—	0
14	110	5	12	SCT	2993	93	82	2	25000	C_1	85	—	0
15	110	3	12	SCT	2991	93	82	3	20000	C_1	85	—	0
16	110	2	12	SCT	2991	91	81	3	20000	C_1	85	—	0
17	115	2	12	SCT	2990	86	78	4	20000	C_1	85	—	0
18	100	2	12	SCT	2990	84	77	3	20000	C_1	85	—	0
19	105	2	12	SCT	2990	85	78	2	20000	C_1	85	—	0
20	—	0	12	SCT	2991	84	78	3	20000	C_1	85	—	0
21	—	0	12	SCT	2993	82	77	2	20000	C_1	85	—	0
22	—	0	12	SCT	2993	81	77	3	20000	C_1	85	—	0
23	—	0	12	SCT	2994	81	78	3	20000	C_1	85	—	0
24	—	0	12	SCT	2992	81	77	3	20000	C_1	85	—	0

POSITION	ZONE	TIME
0800 L	18°-24.3'N	BY 3
λ	67°-31.4'W	BY 3
1200 L	18°-25.1'N	BY 2-3
λ	67°-37.1'W	BY 2-3
2000 L	18°-16.2'N	BY 3
λ	67°-25.5'W	BY 3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM 1200 (ZT) - 13 OCT (Date) 1964

TO 2000 (ZT) 13 OCT (Date) 1964

SET 265°T

DRIFT 0.2 KTS

POSITION BETWEEN FIXES

MID. L 18°-20.3'N

MID. λ 67°-31.2'W

MILES STEAMED 0000-2400: 174.0

FUEL CONSUMED 0000-2400: 592

REMARKS

0000-0004 STEAMING INDEPENDENTLY ENROUTE FROM SAN JUAN PUERTO RICO TO SANTO DOMINGO, DOMINICAN REPUBLIC, IN ACCORDANCE WITH COMINDIV 85. OTC IS COMINDIV 85 IN THIS SHIP. COURSE 180°T. SPEED 5 KTS. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. 0004 ~~to~~ ~~To~~ C/S TO 9 KTS. 0353 C/C TO 185°T.

RBR
LTJG USN

0400-0800 STEAMING AS BEFORE 0455 C/C 195 C/S 6 KTS 0525 C/C 200 MANUEVERING TO CLOSE USS SALUTE (MSO 420) FOR PERSONNEL TRANSFER BY BOAT 0708 TRANSFER COMPLETED. 0714 C/C 220 C/S 6 KTS 0741 STATIONED THE MINESWEEPER DETAIL, MUSTERED CREW ON STATION ABSENTEES: KEMPE, JACK S BM 2 USN.

APPROVED:

[signature] LT U.S.N. COMMANDING

EXAMINED:

[signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY (Day) 13 (Date) OCTOBER (Month), 19 64

Ø8-12 STEAMING AS BEFORE. Ø8ØØ C/S 8 KNOTS Ø816 C/S 4 KNOTS. Ø816 MINESWEEPING GEAR IN WATER. MANUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE MINESWEEPING. Ø85Ø MHDE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL. 1139 ALL GEAR CLEAR OF WATER. 1142 SECURED FROM 1 MIKE. 1145 C/C 18Ø°T C/S 2KNTS.

J B Clark Jr
Ensign, USNR

12-16 Steaming as before. 134Ø C/C 27Ø°T. 1445 C/C ØØØ°T, C/S 7kts. 154Ø Maneuvering at various courses and speeds while conducting C/C tracking drill.

Stuart W. Smith, Jr.
Ensign, USN

16-2Ø STEAMING AS BEFORE. 1625 C/C ØØØ°T 163Ø C/C 18Ø°T SPEED 8 KNOTS. 1755 MANEUVERING TO LAUNCH MOTOR WHALE BOAT. 1813 RECOVERED MOTOR WHALE BOAT 1815 C/C 135°T C/S 7KNOTS. 183Ø C/C TO 16Ø°T 1915 C/C 18Ø°T.

J B Clark, Jr
Ensign, USNR.

2Ø-24 STEAMING AS BEFORE. 1955 C/C TO Ø6°T, C/S 5.5 KTS. 2204 C/C ØØØ°T.

J H King
Lt jg USNR

APPROVED: J G Botte Jr CDR U.S.N. COMMANDING

EXAMINED: [signature] LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION 44 DATE WEDNESDAY (Day) 14 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM SAN JUAN, PUERTO RICO TO SANTO DOMINGO, DOMINICAN REPUBLIC

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	12	SCT	2992	82	78	3	4000	Cu Cl	85	—	0
02	—	0	12	SCT	2991	81	78	2	4000	Cu Cl	85	—	0
03	—	0	12	SCT	2990	81	78	2	3500	Cu Cl	85	—	0
04	100	3	10	SCT	2990	81	77	2	3500	Cu Cl	85	—	0
05	095	6	10	SCT	2990	81	77	2	3500	Cu Cl	85	—	0
06	100	6	12	SCT	2992	83	78	1	20000	Cl	85	—	0
07	100	6	12	CLR	2993	85	79	0	CLEAR		85	—	0
08	110	7	12	CLR	2995	89	80	0	CLEAR		85	—	0
09	130	5	12	CLR	2995	90	82	0	CLEAR		85	—	0
10	145	4	12	CLR	2994	91	83	0	CLEAR		85	—	0
11	150	4	12	CLR	2992	96	85	0	CLEAR		85	—	0
12	145	5	12	SCT	2992	96	85	2	2500	Cu	85	—	0
13	140	5	12	SCT	2992	100	88	3	3000	Cu	85	—	0
14	140	4	12	SCT	2991	97	86	3	3000	Cu	85	—	0
15	140	6	12	SCT	2989	95	84	5	3000	Cu	85	—	0
16	135	5	12	BKN	2988	89	79	7	3000	Cu Cl	85	—	0
17	120	5	12	BKN	2987	85	78	8	3500	Cu Cl	85	110	1/2
18	120	5	12	BKN	2987	86	78	7	4000	Cu Cl	85	110	1/2
19	115	4	12	BKN	2989	85	78	7	4000	Cu Cl	86	—	0
20	095	3	12	BKN	2991	83	79	7	4000	Cu Cl	85	—	0
21	090	3	10	BKN	2991	82	79	7	3000	Cu Cl	85	—	0
22	—	0	10	SCT	2991	82	79	5	3000	Cu	85	—	0
23	—	0	10	SCT	2990	82	79	4	3000	Cu	86	—	0
24	—	0	10	SCT	2990	82	79	4	3000	Cu	85	—	0

POSITION	ZONE	TIME
0800 L	18°-03.7'N	BY 3
λ	67°-23.5'W	BY 3
1200 L	18°-03.3'N	BY 3
λ	67°-24'W	BY 3
2000 L	17°-52.5'N	BY 2-3
λ	67°-52'W	BY 2-3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM 2000 (ZT) 13 OCT. (Date) 1964

TO 0800 (ZT) 14 OCT. (Date) 1964

SET 245°T

DRIFT 0.2 Kts.

POSITION BETWEEN FIXES

MID. L 18° 10'N

MID. λ 67° 24.3'W

MILES STEAMED 0000-2400

126.0

FUEL CONSUMED 0000-2400

1223

REMARKS

00-04 STEAMING INDEPENDENTLY IN COMPANY WITH USS SALUTE (MSO-479) IN ACCORDANCE WITH COMINCH 85. COURSE 000°T. SPEED 5 KNOTS. OTC: COMINCH 85 ON THIS SHIP. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. 00 45' C/C TO 180°T.

LT JG USN

04-08 STEAMING AS BEFORE. MANUEVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO REMAIN WITHIN VISUAL RANGE OF USS SALUTE (MSO 479) 0745 MUSTERED THE CREW AT QUARTERS ABSENTEES: KEMPE, JACK S. BM2 USN

LT JG USN

APPROVED:

LT U.S.N. COMMANDING

EXAMINED:

LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 14 (Date) OCTOBER (Month) 19 64

Ø8-12 Steaming as before. 1ØØ7 Made daily inspection of magazines; conditions normal.

Stuart W. Smith, Jr.
Ensign, USN.

12-16 STEAMING AS BEFORE. 12Ø4 C/C Ø8Ø°T. 1418 C/S 4 KNTS. 1423 C/S 8 KNTS 1424 C/C 26Ø°T C/S 9 KNTS. 1427 STATIONED THE REPLENISHMENT DETAIL. 1426 C/C Ø9Ø 1433 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO GO ALONG SIDE USS SALUTE (MSO 47Ø) TO SIMULATE REFUELING.

J B Clark Jr
Ensign, USN.

16-2Ø Steaming as before. 1613 Completed pumping. 1622 All lines clear, gyrodige completed. 1623 C/C 17Ø°T C/S 12 kts. 1634 Set the replenishment detail. 1635 Maneuvering at various courses and speeds while conducting underway replenishment exercise with USS SALUTE (MSO 47Ø). 1711 Engine completed. 1712 Set the regular underway watch; on deck as with me. 1713 C/C 217Ø°T; C/S 10 kts.

Stuart W. Smith, Jr.
Ensign, USN

21-24 STEAMING AS BEFORE. 2Ø51 SECURED STARBOARD MAIN ENGINE.

J B Clark Jr
LTJG USN

APPROVED: J B Colley Jr LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE THURSDAY (Day) 15 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM SAN JUAN, PUERTO RICO TO SANTO DOMINGO, DOMINICAN REPUBLIC

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	SCT	2990	82	79	3	3000	Cu	85	—	0
02	—	0	10	SCT	2990	82	79	3	3000	Cu	83	—	0
03	—	0	10	SCT	2988	82	79	2	3000	Cu	83	—	0
04	115	4	10	SCT	2988	81	78	2	3000	Cu	83	—	0
05	120	4	10	SCT	2989	81	78	3	2500	Cu	83	—	0
06	125	3	12	SCT	2989	80	77	2	2500	Cu	83	—	0
07	125	3	12	SCT	2990	80	77	2	2500	Cu	83	—	0
08	125	3	12	SCT	2991	87	84	3	2500	Cu	84	—	0
09	130	3	12	SCT	2992	88	83	3	3000	Cu	84	—	0
10	135	2	12	SCT	2992	89	82	4	3000	Cu	84	140	½
11	125	5	12	BKN	2993	90	80	6	3000	Cu Cf	85	145	½
12	120	4	12	BKN	2992	88	82	7	3000	Cu Cf	85	—	0
13	120	2	12	BKN	2991	90	85	6	3000	Cu Cf	84	—	0
14	—	0	12	BKN	2990	94	86	6	3000	Cu Cf	83	—	0
15	—	0	12	BKN	2988	95	85	6	3000	Cu Cf	84	—	0
16	—	0	12	BKN	2987	96	84	6	3000	Cu Cf	84	—	0
17	—	0	12	BKN	2986	95	84	6	3000	Cu Cf	85	—	0
18	—	0	12	SCT	2986	90	82	4	3500	Cu Cf	84	—	0
19	135	2	12	SCT	2987	86	79	4	3500	Cu Cf	84	—	0
20	135	3	10	SCT	2989	84	80	3	4000	Cu	84	—	0
21	145	3	10	SCT	2991	82	78	3	4000	Cu	84	—	0
22	145	3	10	SCT	2991	81	78	4	3500	Cu Ac	84	—	0
23	—	0	10	SCT	2991	82	78	3	3500	Cu	84	—	0
24	—	0	10	SCT	2990	81	77	3	3500	Cu	84	—	0

POSITION	ZONE	TIME
0800		
L 18°-57'N	BY	2
λ 68°-53.5'W	BY	2
1200		
L 18°-02.5'N	BY	2-3
λ 68°-47.7'W	BY	2-3
2000		
L 18°-11.3'N	BY	2
λ 69°-01.5'W	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM 0800 (ZT) 15 OCT. 1964 (Date)
TO 1200 (ZT) 15 OCT. 1964 (Date)
SET 315°T
DRIFT 0.2 KTS
POSITION BETWEEN FIXES
MID. L 18°-26.5'N
MID. λ 68°-50.6'W

MILES STEAMED 0000-2400
131.0

FUEL CONSUMED 0000-2400
620

REMARKS

00-04 STEAMING INDEPENDENTLY IN COMPANY WITH USS SALUTE (MSO-474) ESE 270°T, SPEED FIVE (5) KNOTS. SOPA IS LT. E. FOWLER, CDR USN, COMMODIV 86 IN THIS SHIP. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. 0217 C/C TO 293°T.

MTG USNR

04-08 STEAMING AS BEFORE. 0652 C/C 350°. 0717 C/C 270 0720 C/C 250 0745 MUSTERED THE CREW AT QUARTERS ABSENTEES: KEMPE, JACKS BM2 USN. 0757 C/C 270.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 15 (Date) OCTOBER (Month), 19 64

0800-1200 Steaming as before. 0916 Exercising the ship at general quarters for surface, gunnery exercise. 1025 Set the regular underway watch, in Black Section 2. 1030 C/C 060° T. 1039 C/S 8 kts. 1040 C/C 080° T, 1100 C/C 055° T. 1101 C/S 10 kts. 1130 C/C 100° T. 1131 Made daily magazine inspection; conditions normal.

Stuart W. Scott, Jr.
Ensign, USN

1200-1600 STEAMING AS BEFORE. 1242 C/C 080° T C/S 2 KNTS. 1246 C/C 065° T. 1248 LAUNCHED MOTOR WHALE BOAT 1257 RECOVERED MOTOR WHALE BOAT. 1300 C/C 290° T C/S 5 KNTS. 1325 CONDUCTED ENGINEERING DRILLS 1519 SECURED FROM ENGINEERING DRILLS. 1534 C/S 6 KNTS C/C 090° T. 1540 C/S 8 KNTS C/C 250° T. 1555 C/C 130° T C/S 6 KNTS.

F B Clark, Jr
Ensign, USN.

1600-2000 Steaming as before. 1605 Launched motor whale boat to return personnel to USS SALUTE, (MSO-470) 1615 Recovered motor whale boat.

Stuart W. Scott, Jr.
Ensign, USN

2000-2400 STEAMING AS BEFORE. 2247 C/C TO 270° T.

J R Kirby
LT, USNR

APPROVED: EXAMINED:

D B Botts, Jr CT U.S.N. COMMANDING [signature] CT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE FRIDAY 16 OCTOBER (Day) (Date) (Month), 19 64

~~AT~~/PASSAGE FROM SAN JUAN, PUERTO RICO TO SANTO DOMINGO, DOMINICAN REPUBLIC

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	SCT	2990	80	77	3	3500	Cu	84	—	0
02	—	0	10	SCT	2990	80	77	4	3500	Cu	84	—	0
03	—	0	10	BKN	2989	82	78	6	3000	Cu Cf	84	—	0
04	—	0	7	RW	2988	79	75	8	2000	Ns Cf	84	—	0
05	345	2	8	RW	2989	80	77	9	2000	Ns Cf	84	—	0
06	005	4	8	BKN	2991	80	77	8	2500	Cu Cf	84	—	0
07	010	4	8	BKN	2992	81	78	8	2500	Cu As	84	020	1/2
08	015	3	6	RW	2993	82	79	9	1500	Cb As	84	015	1/2
09	010	3	8	SCT	2995	85	81	4	2500	Cu Cf	84	—	0
10	015	3	8	SCT	2996	88	83	5	3000	Cu Cf	84	—	0
11	015	3	8	SCT	2995	90	82	4	3000	Cu	85	—	0
12	015	3	10	SCT	2993	91	83	4	3000	Cu			
13	005	4	12	SCT	2991	93	85	4	3500	Cu			
14	010	5	12	SCT	2990	95	86	3	3500	Cu			
15	010	6	12	SCT	2988	96	86	4	4000	Cu			
16	015	6	12	SCT	2986	96	86	4	4500	Cu			
17	015	4	12	SCT	2985	94	85	4	4500	Cu			
18	010	4	12	SCT	2983	93	84	3	4500	Cu			
19	010	3	10	SCT	2981	90	80	3	3500	Cu			
20	—	0	10	SCT	2983	87	80	5	3500	Cu Ac			
21	—	0	10	SCT	2985	84	79	4	4000	Cu			
22	—	0	10	SCT	2986	82	78	4	4000	Cu			
23	—	0	10	SCT	2987	79	75	4	4000	Cu			
24	—	0	10	SCT	2989	79	75	4	4000	Cu			

POSITION	ZONE	TIME
0800		
L 18°-13.3' N	BY	2
λ 69°-47.5' W	BY	2
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 64.0

FUEL CONSUMED 0000-2400: 147

REMARKS

04-04 STEAMING INDEPENDENTLY IN COMPANY WITH USS SAUTE (MSO-470) IN ACCORDANCE WITH COMINDIV 8'S. OTC: COMINDIV 8'S IN THIS SHIP. COURSE 270°T SPEED 7.0 KTS. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET. 0355 C/C TO 150°T.

04-08 STEAMING AS BEFORE. 0355 C/C 150 0514 C/C 000, 0521 C/C 350 0745 MUSTERED CREW AT QUARTERS ABSENTEES KEMPF, JACKS BM2 USN, ~~DEN~~.

APPROVED: LT U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 16 (Date) OCTOBER (Month), 19 64

Ø8-12 STEAMING AS BEFORE. Ø841 C/C ØØØ°T. Ø93Ø MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL. Ø937 C/S 6 KNTS. 1Ø17 MOTOR WHALE BOAT MADE OUR PORT QUARTER FOR TRANSFER OF PERSONEL. 1Ø28 C/C 335°T C/S 7 KNTS. 1127 C/C 315°T. 1135 STATIONED SPECIAL SEA DETAIL. 114Ø C/S 3 KNTS. C/C 35Ø°T. 1157 TOOK PILOT BOAT FROM SANTO DOMINGO, D.R. ALONGSIDE PORT QUARTER.

J B Clarke Jr
Ensign, USNR.

12-16 STEAMING AS BEFORE. 1213 LCDR NORRIS, USN, U.S.N. ATTACHÉ ABOARD FROM PILOT BOAT. 1216 MOORED PORT SIDE TO QUAY, SANTO DOMINGO, D.R. 1225 SECURED SEA DETAIL. 1227 USS SAULTE (MSC-47Ø) MOORED OUTBOARD TO STARBOARD. 1235 N.J. GONZALEZ, CDR, D.N., PIPED ABOARD. 1250 CDR. GONZALEZ DEPARTS.

D B Kirig
LT, USNR

16-24 MOORED AS BEFORE.

D B Kirig
LT, USNR

24-24 MOORED AS BEFORE.

D B Kirig
LT, USNR

APPROVED: EXAMINED:

J B Bottle Jr LT U.S.N. COMMANDING — U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE SATURDAY 17 OCTOBER (Day) (Date) (Month), 19 64

AT/~~PASSAGE FROM~~ SANTO DOMINGO, DOMINICAN REPUBLIC TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	SCT	2990	79	75	5	4000	Cu			
02	—	0	10	SCT	2991	79	75	4	4000	Cu			
03	—	0	10	SCT	2990	79	75	4	4000	Cu			
04	—	0	10	SCT	2990	77	74	5	3500	Cu Ac			
05	—	0	10	SCT	2991	75	72	5	3500	Cu Ac			
06	—	0	10	SCT	2991	75	73	5	3500	Cu Ac			
07	015	2	10	SCT	2992	76	74	5	3000	Cu Ac			
08	010	5	10	SCT	2994	78	74	4	3500	Cu Ac			
09	010	3	10	SCT	2994	84	80	3	4000	Cu			
10	010	3	10	SCT	2993	86	81	3	4000	Cu			
11	015	4	10	SCT	2992	88	83	3	4500	Cu			
12	020	5	10	SCT	2991	91	86	3	4500	Cu			
13	015	5	12	SCT	2990	95	87	3	5000	Cu			
14	015	3	12	SCT	2989	97	86	3	5000	Cu			
15	010	6	12	SCT	2987	96	85	2	8000	Ac			
16	245	5	12	CLR	2986	96	84	0	CLEAR				
17	240	4	12	CLR	2986	93	83	0	CLEAR				
18	240	3	12	CLR	2986	91	80	0	CLEAR				
19	245	3	12	CLR	2985	87	78	0	CLEAR				
20	—	0	10	SCT	2985	85	78	4	4000	Cu			
21	—	0	8	BKN	2986	82	77	6	3000	Cu Ci			
22	—	0	8	BKN	2987	82	78	7	3000	Cu Ci			
23	—	0	8	BKN	2987	80	76	8	3000	Cu Ci			
24	—	0	8	BKN	2987	80	76	8	3000	Cu Ci			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

0

FUEL CONSUMED 0000–2400

300

REMARKS

04-04 MOORED PORT SIDE TO QUAY IN A NEST OF TWO SHIPS WITH ASS SAMUEL (AKSO-474) OUTBOARD TO STARBOARD, SANTO DOMINGO, DOMINICAN REPUBLIC. SOPA IS W. E. FOWLER, COR, USN, COMMODORE 85 IN THIS SHIP. RECEIVING WATER FROM PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

J A Kemp
MT/3 USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES:
~~MAR~~ KEMPE, J. C., 569-06-08, BM2, USN.

J A Kemp
MT/3 USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 17 (Date) OCTOBER (Month), 19 64

0800-1200 MOORED AS BEFORE. 1110 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL.

J B Clark Jr

1200-1600 MOORED AS BEFORE.

J B Clark, Jr
Ensign, USNR.

1600-2000 MOORED AS BEFORE.

J B Clark Jr.

2000-2400 MOORED AS BEFORE.

J B Clark, Jr.

APPROVED: EXAMINED:

[signature] LT U.S.N. COMMANDING [signature] CO U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE SUNDAY 18 OCTOBER (Day) (Date) (Month), 19 64

AT/PASSAGE FROM SANTO DOMINGO, DOMINICAN REPUBLIC TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	8	BKN	2988	79	76	7	3000	Cu Cı			
02	—	0	8	BKN	2989	78	76	8	3000	Cu Cı			
03	—	0	7	BKN	2988	78	75	8	2500	Cu Cı			
04	—	0	6	RW	2988	78	75	8	2000	Cb Cı			
05	265	3	8	SCT	2989	77	75	5	3500	Cu Cı			
06	270	3	8	SCT	2990	77	74	5	3500	Cu Cı			
07	270	2	8	SCT	2990	78	75	5	3500	Cu Cı			
08	260	2	8	SCT	2992	80	76	3	3500	Cu			
09	—	0	10	CLR	2993	85	79	0	CLEAR				
10	—	0	10	CLR	2994	90	81	0	CLEAR				
11	090	4	10	SCT	2993	91	80	2	3500	Cu			
12	150	4	10	SCT	2991	93	81	2	4000	Cu			
13	145	6	10	SCT	2989	97	84	3	4000	Cu			
14	155	7	10	SCT	2987	98	85	3	4000	Cu			
15	160	8	10	SCT	2985	96	84	2	4000	Cu			
16	145	6	10	SCT	2984	94	84	3	4000	Cu			
17	110	6	10	SCT	2984	91	83	5	3000	ST Cı			
18	090	8	10	BKN	2985	87	82	6	4000	Cu Cı			
19	090	8	10	BKN	2987	85	81	7	3000	ST Cı			
20	100	6	10	BKN	2986	85	81	7	3000	ST Cı			
21	100	5	10	BKN	2986	84	81	7	3000	Cu Cı			
22	090	6	10	BKN	2987	84	80	6	3000	Cu Cı			
23	095	7	10	BKN	2987	84	81	6	3000	Cu Cı			
24	090	7	10	BKN	2987	84	80	7	3000	Cu Cı			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

185

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS PORT SIDE TO THE CITY DOCKS, SANTO DOMINGO, DR., WITH USS SALUTE (MSO 47Ø) OUTBOARD TO STARBOARD. SOPA IS W.E. FOWLER, COR, USN, COMINDIV 85 EMBARKED ON THIS SHIP. SHIPS PRESENT INCLUDE MERCHANT VESSELS FROM SEVERAL NATIONS. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

J B Clark, Jr
Ensign, USNR.

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW ON STATION. ABSENTEES: ~~NONE~~ KEMPE, J.C., 569-Ø6-Ø8, BM-2, USN JBC

J B Clark, Jr
Ensign, USNR.

APPROVED: LT U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY (Day) 18 (Date) OCTOBER (Month), 1964

0800-1200 Moored as before magazine conditions normal 0925 Made daily inspection of

Stuart W. Smith Jr.
Ensign, USN

1200-1600 Moored as before

Stuart W. Smith Jr.
Ensign, USN

1600-2000 Moored as before

Stuart W. Smith Jr.
Ensign, USN

2000-2400 Moored as before

Stuart W. Smith Jr.
Ensign, USN

APPROVED: EXAMINED:

[signature] U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE MONDAY (Day) 19 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM SANTO DOMINGO, D.R. TO PUERTO DE HAINA, D.R.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	7	10	BKN	2987	84	80	7	3000	Cu Cl			
02	090	6	10	BKN	2987	83	80	7	3000	Cu Cl			
03	100	7	10	BKN	2986	83	80	8	3000	Cu Cl			
04	100	6	10	BKN	2986	82	79	7	3000	Cu Ac			
05	095	8	10	BKN	2985	79	77	7	2500	Cu Ac			
06	105	8	10	BKN	2986	77	75	8	2500	Cu Ac			
07	110	7	10	BKN	2987	79	77	8	2500	Cu Ac			
08	110	8	10	BKN	2989	81	77	7	3000	Cu Ac			
09	100	8	10	BKN	2990	83	78	8	3000	Cu Ac			
10	135	7	10	BKN	2990	88	81	8	4000	Cu Ac	85	130	1½
11	140	5	10	BKN	2991	88	81	7	4000	Cu Ac	85	130	1½
12	140	7	10	BKN	2990	89	82	7	4000	Cu Ac	85	135	1½
13	130	7	10	SCT	2988	90	82	4	4500	Ac	85	135	1
14	120	5	10	SCT	2986	90	82	5	4500	Ac	85	130	1
15	135	5	10	SCT	2984	91	82	5	6500	As	86	130	1½
16	010	4	10	BKN	2983	90	81	7	6500	As			
17	015	3	10	BKN	2983	88	81	8	4000	As			
18	—	0	10	BKN	2984	85	80	7	4000	Cu As			
19	—	0	10	BKN	2984	84	80	7	4000	Cu As			
20	—	0	10	BKN	2984	81	78	6	4000	Cu As			
21	—	0	10	SCT	2985	78	75	4	4000	Cu			
22	—	0	10	SCT	2986	77	74	4	4000	Cu			
23	—	0	10	SCT	2988	76	72	3	4000	Cu			
24	—	0	10	SCT	2988	75	72	4	4000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 18°-16'N		BY 3
λ 69°-59'W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 52.5

FUEL CONSUMED 0000-2400: 983

REMARKS

00-04 Moored port side to city docks, Santo Domingo, D.R. in a nest of two ships with 7158 SALUTE, (MSO-478) outboard to starboard. SOPA is W. E. Fowler, Cdr. USN, COMINDIV 85, embarked aboard this ship. 3 ships present include merchant vessels from several nations and yacht belonging to Dominican Navy. Receiving miscellaneous services from the pier, ship is in condition of readiness V with material condition Yoke set.

Stuart W. Smith, Jr.
Ensign, USN

04-08 Moored as before, 0631 set the special sea detail. Mustered the crew at quarters; absentees: Kemp, Jack B 42 205 N, attached to EOD unit embarked aboard. 0708 Underway to Haina Naval Base, D.R.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 19 (Date) OCTOBER (Month), 19 64

0800-1200 STEAMING AS BEFORE. MANEUVERING TO CONFORM TO CHANNEL OUT OF SANTO DOMINGO ENROUTE HAINA, D.R. 0821 MOORED PORT SIDE TO WHARF AT HAINA, D.R. 0831 USS SAMUEL (MSO-427) MOORED OUTBOARD TO STARBOARD. D.R. SAILORS AND OFFICERS DEBARKED. 0950 SET SEA DETAIL. 0953 USS SAMUEL (MSO-427) UNDERWAY FROM STARBOARD SIDE. 1000 CAPTAIN AT THE CONN. 1004 UNDERWAY FROM WHARF FOR EXERCISES. MANEUVERING TO CONFORM TO CHANNEL. 1056 SECURED SEA DETAIL. SET REGULAR UNDERWAY WATCH. 1100 MADE DAILY INSPECTION OF MAGAZINES: ~~AND SMOKE DECK~~ AND CONDITIONS NORMAL.

J.A. Klein
Lt, USNR

1200-1600 STEAMING AS BEFORE. 1439 SET SEA DETAIL. 1505 CAPTAIN AT THE CONN. MANEUVERING TO CONFORM TO CHANNEL IN HAINA HARBOR. 1526 MOORED STARBOARD SIDE TO WHARF, HAINA, D.R. 1535 SECURED SEA DETAIL. 1544 USS SAMUEL (MSO-427) MOORED OUTBOARD TO PORT.

J.A. Klein
Lt, USNR

1600-2400 MOORED AS BEFORE.

J.A. Klein
Lt, USNR

2400-2400 MOORED AS BEFORE.

J.A. Klein
Lt, USNR

APPROVED: EXAMINED:

[signature] U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS AGILITY (MSO-519) ZONE DESCRIPTION +4 DATE TUESDAY (Day) 20 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM PUERTO DE HAINA, D.R. TO LOCAL OPERATIONS

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	SCT	2989	74	72	5	4000	Cu			
02	020	3	10	SCT	2987	73	71	5	4000	Cu			
03	015	3	10	SCT	2987	73	71	4	4000	Cu			
04	015	2	10	SCT	2986	72	70	2	4000	Cu			
05	—	0	8	SCT	2987	74	71	3	2500	ST			
06	—	0	8	SCT	2987	73	71	3	2000	ST			
07	000	2	8	SCT	2989	76	73	3	2000	ST			
08	010	3	8	SCT	2989	78	74	4	2500	ST Cu			
09	015	3	10	SCT	2988	82	76	4	3500	Cu Cu	85	—	0
10	020	4	10	SCT	2988	85	78	4	3500	Cu Cu	85	040	1/2
11	015	4	10	SCT	2988	88	80	5	3500	Cu Cu	85	035	1/2
12	045	5	10	SCT	2987	90	81	4	3500	Cu	85	045	1
13	040	4	10	SCT	2985	89	81	4	4000	Cu	85	045	1
14	040	5	12	SCT	2984	87	84	3	5000	Cu	85	060	1/2
15	040	4	12	SCT	2984	87	84	4	5000	Cu Cu	85	060	1/2
16	050	4	12	SCT	2983	86	83	4	5000	Cu Cu			
17	045	3	12	SCT	2984	85	81	4	5000	Cu Cu			
18	045	3	12	SCT	2985	85	81	4	5000	Cu Cu			
19	045	3	12	SCT	2985	83	80	3	4500	Cu Cu			
20	—	0	12	SCT	2986	81	78	5	4500	Cu Cu			
21	—	0	10	SCT	2986	80	77	4	4500	Cu			
22	—	0	10	SCT	2987	79	75	4	4000	Cu			
23	050	4	10	SCT	2989	76	73	4	4000	Cu			
24	050	5	10	SCT	2989	76	73	4	4000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 18°-21.5'N		BY 3
λ 69°-56'W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	—
TO	— (ZT) (Date)
SET	—
DRIFT	—
POSITION BETWEEN FIXES	
MID. L	—
MID. λ	—

MILES STEAMED 0000-2400
56.0

FUEL CONSUMED 0000-2400
165

REMARKS

04-04 MOORED STARBOARD SIDE TO WHARF AT D.R. NAVAL BASE, HAINA, D.R. IN A NEST OF TWO SHIPS WITH USS SAMUEL (MSO-470) OUTBOARD TO PORT. SOPA IS. LT. FOWLER, CDR. USN, COMMANDING IN THIS SHIP. RECEIVING WATER FROM THE PIER. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

J.A. King
LTjg USNR

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS & ABSENTEES: KEMPE, J.C., 569-06-08, BM2, USN. 0745 SET SEA DETAIL.

J.A. King
LTjg USNR

APPROVED:

T.G. Dotter LT U.S.N. COMMANDING

EXAMINED:

J. Cummings LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY 20 OCTOBER (Day) (Date) (Month), 19 64

0800-1200 MOORED ASBEFORE 0827 UNDERWAY FROM DOMINICAN NAVAL BASE, HAINA, D.R. WITH DOMINICAN OFFICERS AND MEN ON BOARD FOR DAILY TRAINING EXERCISE. CAPTAIN HAS THE CONN. 0830 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH THE CHANNEL. 0840 SECURED SEA DETAIL AND STATIONED UNDER WAY WATCH. 0930 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL.

J B Clark, Jr
Ensign, USNR.

1200-1600 STEAMING AS BEFORE. 1308 EXERCISED TACTICAL MANEUVERS WITH THE USS SALUTE (MSO 470) 1420 SECURED FROM TACTICAL MANEUVERS. 1440 STATIONED SPECIAL SEA DETAIL 1456 MANEUVERING TO CONFORM TO CHANNEL IN HAINA HARBOR. 1503 MOORED STARBOARD SIDE TO ~~WHAR~~ WHARF, HAINA, D.R. 1509 SECURED SPECIAL SEA DETAIL AND STATIONED INPORT WATCH. 1515 USS SALUTE (MSO 470) MOORED OUTBOARD TO PORT.

J B Clark, Jr
Ensign, USNR.

1600-2000 MOORED AS BEFORE.

J B Clark, Jr
Ensign, USNR

2000-2400 MOORED AS BEFORE.

J B Clark, Jr
Ensign, USNR.

APPROVED: EXAMINED:

[signature] LT U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION 44 DATE WEDNESDAY (Day) 21 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM POERTO DE HAINA, D.R. TO LOCAL OPERATIONS

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	4	10	SCT	2989	76	73	3	4000	Cu			
02	045	5	10	SCT	2989	76	74	4	4000	Cu			
03	045	4	10	BKN	2988	76	73	6	3500	Cu Cf			
04	045	4	10	BKN	2987	75	72	7	3500	Cu Cf			
05	020	3	10	BKN	2986	73	71	6	3000	Cu Cf			
06	025	3	10	BKN	2987	74	72	6	3000	Cu Cf			
07	025	4	12	BKN	2988	75	72	6	3500	Cu Cf			
08	020	5	12	SCT	2988	77	75	4	4000	Cf Ac			
09	015	6	12	SCT	2988	84	79	4	4000	Cu Ac	86	—	0
10	020	7	12	SCT	2987	86	81	4	6500	Ac	86	045	1/2
11	020	8	12	SCT	2985	86	81	3	7000	Ac	86	045	1
12	030	7	12	SCT	2984	88	80	4	7000	Ac	86	050	1
13	025	7	12	SCT	2983	89	81	5	4500	Cu Ac	85	050	1/2
14	030	8	10	BKN	2981	90	83	7	4000	Cu Cf	84	050	1/2
15	045	8	8	BKN	2980	87	81	8	2500	Cb Cf	85	—	0
16	060	7	7	R	2981	87	84	8	1500	Cb As			
17	115	8	7	R	2981	83	80	9	1500	Cb As			
18	165	10	6	RW	2982	80	77	8	2000	Ns As			
19	160	10	7	RW	2983	77	75	9	2000	Cb As			
20	160	12	7	BKN	2985	77	75	8	2500	St As			
21	155	10	8	BKN	2986	76	74	8	2500	St As			
22	160	8	8	BKN	2988	76	74	7	2500	St Cf			
23	045	6	8	BKN	2988	76	74	7	3000	Cu Cf			
24	025	6	8	BKN	2988	75	73	7	3000	Cu Cf			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 18°-17'N		BY 3
λ 69°-58.5'W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	—
TO	—
SET	—
DRIFT	—
POSITION BETWEEN FIXES	
MID. L	—
MID. λ	—

MILES STEAMED 0000-2400
48.5

FUEL CONSUMED 0000-2400
877

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO WHARF AT D.R. NAVAL BASE, HAINA, D.R. IN A NEST OF TWO SHIPS WITH THE USS SALUTE (MSO 478) OUT BOARD TO PORT SOPA IS W.E. FOWLER, COR, USN, COMINDIV 85 IN THIS SHIP. RECEIVING WATER FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

J B Clark, Jr
Ensign, USNR.

Ø4-Ø8 MOORED AS BEFORE. Ø73Ø MUSTERED CREW AT QUARTERS ABSENTEES: KEMPE, J.C., 569 Ø6 Ø8, BM2, USN. Ø745 STATIONED SPECIAL SEA DETAIL.

J B Clark, Jr
Ensign, USNR.

APPROVED: J B Bothy Jr CT U.S.N. COMMANDING

EXAMINED: [signature] CO U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) WEDNESDAY (Day) 21 (Date) OCTOBER (Month), 19 64

0800-1200 Moored as before. 0822 Underway with Dominican officers and enlisted men for daily training lessons. 0830 Maneuvering at various courses and speeds while exercising the ship at general quarters for a gunnery shoot by Dominican personnel. 1057 Completed gunnery drills and set regular underway watch, in deck section three. 1106 Made daily inspection of magazine; conditions normal.

Stuart W. Seth/E. Jr.
Ensign, USN

1200-1600 Steaming as before. 1224 Set the replenishment detail for towing demonstration with USS SALUTE, (MSO-470). 1433 Completed towing exercise, set the regular underway watch, in deck section one. 1515 Set the special sea detail for entering port. 1547 Moored starboard side to pier at Haina, D.R. Naval Base.

Stuart W. Seth/E. Jr.
Ensign, USN

1600-2000 Moored as before.

Stuart W. Seth/E. Jr.
Ensign, USN

2000-2400. Moored as before.

Stuart W. Seth/E. Jr.
Ensign, USN

APPROVED: EXAMINED:

[signature] LT U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION 44 DATE THURSDAY 22 OCTOBER (Day) (Date) (Month), 19 64

AT/PASSAGE FROM PUERTO DE HAINA, D.R. TO LOCAL OPERATIONS

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	025	3	8	BKN	2987	74	72	8	3000	ST Cl			
02	020	3	8	RW	2985	73	71	9	2000	NS Cl			
03	025	4	8	OVC	2983	73	71	10	2500	ST Cl			
04	—	0	8	BKN	2983	73	70	8	2500	Cu Cl			
05	—	0	8	BKN	2984	72	69	7	2500	Cu Cl			
06	030	2	8	BKN	2985	72	69	7	2500	Cu As			
07	015	2	10	BKN	2987	75	72	7	6500	As Cl			
08	025	3	10	SCT	2988	77	74	5	4000	Cu Cl			
09	065	3	12	SCT	2990	80	75	4	4000	Cu Cl	84	095	1/2
10	090	3	12	SCT	2990	82	76	4	4000	Cu Cl	84	100	1/2
11	075	3	12	SCT	2989	84	77	4	4000	Cu Cl	84	100	1/2
12	085	4	12	SCT	2988	90	80	3	4000	Cu Cl	83	090	1/2
13	090	4	12	SCT	2986	90	80	4	4000	Cu Cl	84	090	1/2
14	090	3	12	SCT	8984	90	81	4	6500	Ac Cl	84	090	1/2
15	065	3	12	SCT	2983	93	82	4	7000	Ac Cl	84	—	0
16	060	4	12	SCT	2982	91	81	3	7000	Ac Cl			
17	065	5	12	SCT	2980	86	79	5	8000	Ac Cl			
18	065	6	12	SCT	2980	86	80	4	8000	Ac Cl			
19	065	6	12	SCT	2979	85	80	5	7500	Ac Cl			
20	045	5	12	SCT	2979	85	80	4	6500	Ac Cl			
21	050	4	12	SCT	2978	83	79	5	6500	Ac Cl			
22	060	5	10	BKN	2979	82	78	6	4500	Cu Cl			
23	060	5	10	BKN	2978	80	76	7	4500	Cu Cl			
24	050	5	10	BKN	2980	77	74	7	4500	Cu Cl			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 18° 16.2' N		BY 3
λ 69° 57.5' W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	—
(ZT)	(Date)
TO	—
(ZT)	(Date)
SET	—
DRIFT	—
POSITION BETWEEN FIXES	
MID. L	—
MID. λ	—

MILES STEAMED 0000-2400
61.0

FUEL CONSUMED 0000-2400
466

REMARKS

00-04 Moored starboard side to pier at Haina, D.R. Naval Base, with USS SALUTE, (MSO-470) moored outboard to port. SOPA is W.E. Fowler, Cdr. USN, COMINDIV 85 embarked aboard this ship. Receiving miscellaneous services from the pier. Ships present include units of the Dominican Republic Navy. Ship in condition of readiness III with material condition Yoke set.

Stuart W. Scott, Jr.
Ensign, USN

04-08. Moored as before. 0730 Mustered the crew at quarters; absentee: Kempe, Jack, BM2, USN, attached to EOD unit embarked aboard. 0745 Set the special Sea Detail.

Stuart W. Scott, Jr.
Ensign, USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 22 (Date) OCTOBER (Month), 19 64

Ø8-12 MOORED AS BEFORE. Ø828 UNDERWAY FOR OP AREA. CAPTAIN AND NAVIGATOR ON THE BRIDGE. Ø84Ø SECURED SEA DETAIL. COURSE 175°T SPEED 8.Ø KTS. Ø841 SET REPLENISHMENT DETAIL. Ø847 MANEUVERING VARIOUS COURSES AND SPEEDS WHILE CONDUCTING HIGH LINE EXERCISE WITH USS SALUTE (MSO-447Ø)-Ø946 SECURED REPLENISHMENT. Ø959 SOUNDED GENERAL QUARTERS. MANEUVERING VARIOUS COURSES AND SPEEDS WHILE CONDUCTING FIRING EXERCISE. 1Ø26 COMMENCED FIRING 40 MM. 1Ø33 CEASED FIRING. EXPENDED 8 ROUNDS of 40 MM. 1Ø57 COMMENCED FIRING. 1Ø59 CEASED FIRING. EXPENDED 7 ROUNDS of 40 MM. 1114 COMMENCED FIRING M-1. 1115 CEASED FIRING. 1122 SECURED FROM GQ. COURSE 274°T SPEED 1Ø.Ø KTS.

LTJG USN

12-16 STEAMING AS BEFORE. 1220 C/C TO Ø65°T. 1304 C/C TO 34Ø°T. 1325 SOUNDED G.Q. 1327 C/C TO 275°T. 1415 COMMENCED TACTICAL MANEUVERS. VARIOUS COURSES AND SPEEDS. 1433 SECURED FROM G.Q. 1525 SECURED MANEUVER SET SPECIAL SEA DETAIL. MANEUVERING TO ENTER HAINA, NAVAL BASE, DOMINICAN REPUBLIC. 1549 MOORED STARBOARD SIDE TO PIER. 1557 SECURED SEA DETAIL. SET REGULAR INPORT WATCH.

LTJG USN

16-24 MOORED AS BEFORE.

LTJG USN

24-24 MOORED AS BEFORE.

LTJG USN

APPROVED: EXAMINED:

LT U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE FRIDAY (Day) 23 (Date) OCTOBER (Month), 19 64

AT/~~PASSAGE~~ FROM PUERTO DE HAINA, D.R. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	065	4	10	RW	2981	75	73	8	3000	Cb Cı			
02	070	2	10	BKN	2982	74	71	7	3500	Cu Cu			
03	—	0	8	BKN	2983	74	71	6	3000	Cb Cı			
04	—	0	7	RW	2983	73	71	9	2000	Cb Cı			
05	—	0	8	BKN	2984	74	71	9	3000	Cu Cı			
06	—	0	8	BKN	2986	73	71	8	3500	Cu Cı			
07	035	2	6	RW	2987	74	72	8	2500	Cb Cı			
08	020	2	10	SCT	2989	77	74	4	3500	Cu Cı			
09	—	0	10	SCT	2989	80	75	4	3500	Cu Cı			
10	—	0	10	SCT	2990	85	80	3	3500	Cu Cı			
11	085	2	10	SCT	2990	87	83	3	4000	Cu Cı			
12	100	3	10	SCT	2989	89	85	4	4000	Cu Cı			
13	120	5	10	SCT	2987	91	88	4	4000	Cu Cı			
14	125	5	10	SCT	2985	93	89	4	4000	Cu Cı			
15	120	5	10	SCT	2983	93	89	5	3500	Cu Cı			
16	—	0	10	SCT	2981	91	85	5	3000	Cu Cı			
17	—	0	8	BKN	2981	87	80	7	3000	ST Cı			
18	010	3	6	RW	2982	85	81	8	2000	Cb Cı			
19	—	0	7	BKN	2984	82	78	8	2500	ST Cı			
20	—	0	8	BKN	2984	77	75	8	2500	Sc Cı			
21	—	0	8	BKN	2983	77	75	7	2500	Sc Cı			
22	—	0	8	BKN	2983	76	74	7	2000	Sc Cı			
23	035	2	8	BKN	2984	75	73	8	2000	Sc Cı			
24	035	2	8	BKN	2984	74	71	8	2000	Sc Cı			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400
0

FUEL CONSUMED 0000–2400
548

REMARKS

04-04 MOORED IN A NEST OF TWO SHIPS STARBOARD SIDE TO PIER AT PUERTO DE HAINA NAVAL BASE WITH USS SALUTE (MSO-479) OUTBOARD TO PORT. STANDARD MOORINGS LINES DOUBLED TO THE PIER. SOFA: COMMODORE 85 IN THIS SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF DOMINICAN NAVY. RECEIVING WATER FROM THE PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

[signature]
LTJG USNR

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

[signature]
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 23 (Date) OCTOBER (Month), 19 64

Ø8-12- MOORED AS BEFORE. Ø83Ø MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL. Ø9ØØ MADE TEST OF MAGAZINE SPRINKLER SYSTEM. CONDITION: SATISFACTORY.

J B Clark Jr
Ensign, USNR

12-16 MOORED AS BEFORE.

J B Clark Jr
Ensign, USNR

16-2Ø MOORED AS BEFORE.

J B Clark, Jr
Ensign, USNR

2Ø-24 MOORED AS BEFORE.

J B Clark Jr.
Ensign, USNR.

APPROVED: J G Bailey Jr LT U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE SATURDAY (Day) 24 (Date) OCTOBER (Month), 19 64

~~AT~~/PASSAGE FROM PUERTO DE HAINA, DOMINICAN REPUBLIC TO GUANTANAMO BAY, CUBA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	8	BKN	2985	74	72	6	2500	Sc C_1			
02	—	0	8	BKN	2986	74	72	6	3000	Sc C_1			
03	—	0	8	SCT	2986	73	71	5	3500	Cu C_1			
04	—	0	8	SCT	2986	73	71	4	3500	Cu C_1			
05	045	2	8	SCT	2987	73	71	5	3000	Cu C_1			
06	050	3	8	SCT	2988	72	70	5	3000	Cu C_1			
07	035	2	8	SCT	2989	74	71	5	3500	Cu C_1			
08	040	3	8	SCT	2990	79	76	4	4000	Cu C_1			
09	040	3	10	SCT	2990	84	80	3	4000	Cu C_1	84	145	1
10	—	0	12	SCT	2991	85	81	3	4000	Cu C_1	84	135	1
11	—	0	12	SCT	2990	90	84	3	4500	Cu C_1	84	140	1
12	—	0	12	SCT	2988	91	85	4	5000	Cu C_1	84	140	1
13	065	3	12	SCT	2987	91	85	4	5000	Cu C_1	84	140	1
14	090	4	12	SCT	2986	89	84	3	5000	Cu C_1	84	135	1
15	095	6	12	SCT	2985	88	83	5	5000	Cu C_1	84	135	1
16	115	7	12	BKN	2983	86	80	6	4500	Cu C_1	84	135	1
17	125	7	12	BKN	2984	85	79	7	4000	Cu C_1	84	130	1
18	115	6	12	BKN	2983	83	78	6	4000	Cu C_1	84	130	1
19	120	6	10	BKN	2982	83	78	6	4000	Cu C_1	84	130	1
20	120	7	10	BKN	2983	82	77	7	4000	Cu C_1	84	120	1
21	120	6	10	BKN	2983	82	78	7	4000	Cu C_1	84	120	1
22	115	6	10	BKN	2984	83	78	7	4000	Cu C_1	84	120	1
23	115	8	10	BKN	2985	82	78	6	4000	Cu C_1	84	120	1
24	100	8	10	BKN	2985	82	78	7	4000	Cu C_1	84	115	2

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L 18°-03.3'N	BY	2
λ 70°-14.8'W	BY	2
2000		
L 17°-35.8'N	BY	2
λ 71°-09'W	BY	2

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM 1200 (ZT) 24 OCT. (Date) 1964
TO 2000 (ZT) 24 OCT. (Date) 1964
SET 320° T
DRIFT 0.3 KTS.
POSITION BETWEEN FIXES
MID. L 17°-49.8'N
MID. λ 70°-43.5'W

MILES STEAMED 0000-2400
125.5

FUEL CONSUMED 0000-2400
1328

REMARKS

ØØ-Ø4 MOORED IN A NEST OF TWO SHIPS STARBOARD SIDE TO WHARF AT HAINA, D.R., DOMINICAN REPUBLIC NAVAL BASE WITH USS SALUTE (MSO 47Ø) OUTBOARD TO PORT. SOPA IS W.E. FOWLER, CDR, USN, COMINDIV 85 IN THIS SHIP. RECEIVING WATER FROM THE PIER. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET.

J.D. Clark, Jr.
Ensign, USNR.

Ø4-Ø8 MOORED AS BEFORE. Ø730 MUSTERED CREW AT QUARTERS. ABSENTEES: KEMPE, J.C., 569 Ø6 Ø8, BM2, USN. Ø74Ø STATIONED SPECIAL SEA DETAIL.

J.D. Clark, Jr.
Ensign, USNR.

APPROVED: _____ LT U.S.N. COMMANDING

EXAMINED: _____ LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 24 (Date) OCTOBER (Month), 19 64

Ø8-12 MOORED AS BEFORE. Ø8Ø1 C.O. HAS THE CONN. Ø8Ø5 UNDERWAY FROM NAVAL BASE, HIANA, DR. ENROUTE GUANTANAMO BAY, CUBA. Ø8Ø6 MANEUVERING TO CONFORM WITH CHANNEL WHILE STANDING OUT OF HARBOR. Ø814 C/C 18Ø°T C/S 8 KNOTS. Ø816 SECURED SEA DETAIL AND SET REGULAR UNDERWAY WATCH. 1137 C/C 245°T. 1140 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS: NORMAL.

J B Clark Jr
Ensign, USNR.

12-16 Steaming as before 123Ø C/C 22Ø°T. 1231 C/C 24Ø°T. 1237 C/C 1ØØ°T 1238. C/S 2 kts to launch boat for observers aboard USS SALUTE, (MSO-47Ø) 1335 3rd material condition 1 and commenced CNFI-OC competative exercise. 1544 Completed exercise and set regular underway watch; on deck station 3. C/C 25Ø°T. 155Ø C/C 22Ø°T C/S 11 kts. 1555 C/C 28Ø°T. 1559 C/C 24Ø°T.

Stuart W. Smith Jr.
Ensign, USN

16-2Ø STEAMING AS BEFORE. 1623 C/S 1Ø KNOTS. 164Ø MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO LAUNCH MWB. 1648 - LAUNCHED MWB. FOR TRANSFER OF OBSERVERS TO USS SALUTE (MSO 47Ø) 17Ø6 RECOVERED MWB. 17Ø7 C/S 7 KNTS. C/C 23Ø°T. 17Ø8 C/C 24Ø°T C/S 1Ø KNOTS.

J B Clark Jr
Ensign, USNR.

2Ø-24 STEAMING AS BEFORE. 2327 C/C TO 286°T.

J H King
Lt, USNR

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +4 DATE SUNDAY (Day) 25 (Date) OCTOBER (Month), 19 64

~~AT~~/PASSAGE FROM PUERTO DE HAINA, DOMINICAN REPUBLIC TO GUANTANAMO BAY CUBA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	4	10	BKN	2986	83	79	7	3000	Cu Cf	84	100	2
02	100	5	10	BKN	2985	83	79	7	3500	Cu Cf	84	100	2
03	095	5	10	BKN	2984	82	79	7	3500	Cu Cf	84	100	2
04	090	4	10	BKN	2985	82	79	8	3000	Cu Cf	84	095	2
05	090	4	10	BKN	2986	82	79	8	3000	Cu Cf	84	100	2
06	080	4	10	BKN	2987	82	79	9	3000	Cu Cf	84	105	2
07	075	4	10	BKN	2988	82	79	9	3000	Cu Ac	84	100	2
08	075	4	8	OVC	2988	84	80	10	2500	Cu As	84	100	2
09	090	3	7	OVC	2990	84	80	10	2000	Sc As	84	100	2
10	090	4	4	RW	2991	83	81	10	2000	Cb As	84	105	2
11	090	6	3	RW	2990	80	78	10	1500	Ns As	84	100	2
12	095	10	3	RW	2988	80	78	10	1500	Ns As	84	100	2
~~13~~ 12	090	12	8	OVC	2987	82	78	10	2000	Sc As	84	095	2
~~14~~ 13	090	11	10	OVC	2986	82	78	10	2000	Sc As	84	100	2
~~15~~ 14	090	10	10	OVC	2984	82	78	10	2000	Sc As	84	100	2
~~16~~ 15	090	14	10	OVC	2984	82	78	10	2500	Sc As	84	105	2
~~17~~ 16	100	13	10	OVC	2983	83	79	10	4000	Sc As	84	100	2
~~18~~ 17	100	14	10	OVC	2983	83	79	10	4000	Sc As	84	100	2
~~19~~ 18	105	15	10	OVC	2984	83	79	10	4000	Sc As	84	100	2
~~20~~ 19	105	15	9	OVC	2985	83	79	10	3500	Sc As	84	090	2
~~21~~ 20	100	13	9	OVC	2985	83	79	10	3500	Sc As	84	090	2
~~22~~ 21	095	16	9	OVC	2985	82	79	10	3000	Sc As	84	095	2
~~23~~ 22	090	15	9	OVC	2986	81	77	10	3000	Sc As	84	090	2
~~24~~ 23	090	13	9	BKN	2986	83	79	9	3000	Sc Ac	84	090	2
24	095	10	9	BKN	2985	83	79	9	3000	Sc Ac	84	095	2

POSITION	ZONE	TIME
0800		
L 17°-41'N	BY	2
λ 73°-04'W	BY	2
1200		
L 17°-54'N	BY	2-3
λ 73°50'W	BY	2-3
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	0F00 (ZT) 25 OCT. (Date) 1964
TO	1200 (ZT) 25 OCT. (Date) 1964
SET	285°T
DRIFT	0.8 KTS.
POSITION BETWEEN FIXES	
MID. L	17°-46.5'N
MID. λ	73°-27'W

MILES STEAMED 0000-2400
239.0

FUEL CONSUMED 0000-2400
1481

REMARKS

ØØ-06 STEAMING INDEPENDENTLY ~~WITH~~ IN COMPANY WITH BR
USS SALUTE (MSO-479) ENROUTE TO GTMO BAY, CUBA. COURSE
286°T SPEED 10.0 KTS. IN ACCORDANCE WITH COMINDIV 85. OTC
COMINDIV 85 IN THIS SHIP. SHIP IS IN CONDITION OF READINESS
IV WITH MATERIAL CONDITION YOKE SET. ØØ19 C/C TO 285°T.

0400-08 STEAMING AS BEFORE. 0547 C/C 287 0745 MUSTERED CREW
ON STATION ABSENTEES IKEMPE, JC 5690608 BM2 USN.

APPROVED:

U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SUNDAY 25 OCTOBER (Day) (Date) (Month), 19 64

Ø8-12. Steaming as before. Ø912. Made daily inspection of magazine; conditions normal.

Stuart W. Swift, Jr.
Ensign, USN

12-16 STEAMING AS BEFORE. 12Ø5 C/S 11 KNTS. 1216 C/C 215° T 1221 C/C 282° T 1233 C/C 2ØØ° T 1243 C/C 338° T 1315 C/C 286° T 1317 C/S 6 KNOTS. 1325 C/S 7 KNTS 1344 C/S 11 KNTS.

J B Clark, Jr
Ensign, USNR

16-2Ø Steaming as before. 1741 C/C 349° T

Stuart W. Swift, Jr.
Ensign, USN

2Ø-24 STEAMING AS BEFORE.

J B Kelly
LTjg USNR

APPROVED: J B Kelly LT U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 26 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM PUERTO DE HAINA, DOMINICAN REPUBLIC TO GUANTANAMO BAY, CUBA

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	8	5	R	2986	81	77	10	3000	Ns As	84	090	2
02	085	8	3	R	2987	77	75	10	1500	Ns As	84	085	1
03	085	7	4	R	2987	72	71	10	1500	Ns As	84	090	1
04	070	8	4	R	2988	72	71	10	1500	Ns As	84	090	1
05	060	6	5	R	2989	74	73	10	1500	Ns As	84	090	1/2
06	045	5	5	R	2991	74	73	10	1800	Ns As	84	—	0
07	050	5	6	R	2992	74	73	10	2000	Ns As	84	—	0
08	050	4	6	R	2994	75	74	10	2000	Ns As	84	—	0
09	060	5	6	R	2994	77	76	10	2000	Ns As	84	—	0
10	060	3	7	OVC	2992	77	76	10	2500	Sc As	84	—	0
11	055	3	8	OVC	2992	78	76	10	2500	Sc As	84	—	0
12	—	0	8	OVC	2991	80	77	10	3000	Sc As			
13	—	0	8	OVC	2990	82	78	10	3000	Sc As			
14	—	0	8	OVC	2990	81	77	10	3000	Sc As			
15	010	3	8	OVC	2989	81	77	10	3000	Sc As			
16	—	0	8	OVC	2988	81	76	10	3000	Sc As			
17	—	0	8	OVC	2989	81	76	10	3000	Sc As			
18	—	0	8	BKN	2990	81	77	9	3500	Sc As			
19	—	0	8	BKN	2991	82	78	7	3500	Sc As			
20	035	1	8	BKN	2993	78	76	7	3500	Sc As			
21	030	2	8	BKN	2994	78	76	6	3500	Cu As			
22	035	2	8	BKN	2994	78	76	7	3500	Cu Ac			
23	035	3	8	BKN	2993	77	75	7	4000	Cu Cl			
24	035	3	8	BKN	2993	77	76	7	4000	Cu Cl			

POSITION	ZONE	TIME
0800		
L 19°-41.8'N	BY	2-3
λ 75°-13.7'W	BY	2-3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 73.0

FUEL CONSUMED 0000-2400: 761

REMARKS

00-04 STEAMING INDEPENDENTLY IN COMPANY WITH USS SALUTE (MSO-470) IN ACCORDANCE WITH COMINCH 85, ENROUTE TO GTMO BAY, CUBA, COURSE 349°T SPEED 10.0 KTS. OTC: COMINCH 85 IN THIS SHIP. SHIP IS IN CONDITION OF READINESS II WITH MATERIAL CONDITION YOKE SET. 0240 C/S TO 8.5 KTS. 0325 C/S TO 5.0 KTS. 0324 C/C TO 349°T.

[signature] LTJG USNR

0400-0408 STEAMING AS BEFORE. MANUEVERING AT VARIOUS COURSES AND SPEEDS WHILE REMAINING WITHIN VISUAL RANGE OF USS SALUTE (MSO 470) 0345 MUSTERED CREW AT QUARTERS ABSENTEES: HEMPE, JC 567-60-68 M2 USN.

[signature] LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) MONDAY (Day) 26 (Date) OCTOBER (Month), 19 64

0800-1200 Steaming as before. 0931 C/C 000°T. 0945 C/C 090°T. 0946 Commenced steering various courses while conducting 2-12-CC surface tracking exercise. 1112 Made daily inspection of magazine & conditions normal. 1113 Exercise 2-12-CC completed. 1115 C/C 330°T. 1120 C/C 350°T. 1133 C/C 090°T. 1140 C/C 080°T. 1142 C/C 070°T. 1144 C/C 065°T. 1145 C/C 045°T. 1147 C/C 350°T 1145 C/C 335°T C/S 10 kts. 1159 Set the special sea detail in preparation for entering port at Guantanamo Bay, Cuba.

Stuart W. Smith, Jr.
Ensign, USN

1200-1600 Steaming as before. Maneuvering at various courses and speeds while entering Guantanamo Harbor. 1225 Moored port side to fueling pier C. 1307 Secured from Special Sea detail. 1355 Kempe, Jack C., BM2. USN, attached to EOD unit embarked aboard, returned having been AWOL since 0730, Monday, 12 October 1964. 1432 Set the Special Sea detail in preparation for moving to pier L. 1450 Underway from fueling pier C to pier L. 1520 Moored starboard side to USS SALUTE, (MSO-478) at pier 4, US Naval Base, Guantanamo Bay, Cuba. 1527 Set the regular in port watch. KEMPE JC 569 06 08 BM2 USN RETURNED ABOARD.

Stuart W. Smith, Jr.
Ensign, USN

1600-2000 Moored as before. 1700 THE CAPTAIN HELD MAST IN THE CASE OF KEMPE JC 569 06 08 BM2 USN AND IMPOSED NONJUDICIAL PUNISHMENT AS FOLLOWS: REDUCED TO THE NEXT INFERIOR GRADE AND RESTRICTION FOR 14 DAYS.

Stuart W. Smith, Jr.
Ensign, USN

2000-2400 Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: R B Cutty LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION 15 DATE TUESDAY 27 OCTOBER (Day) (Date) (Month), 19 64

AT/PASSAGE FROM GUANTANAMO BAY, CUBA TO LOCAL OPERATIONS

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	3	8	BKN	2993	77	75	7	4000	Cu Cı			
02	030	4	8	BKN	2993	77	74	6	4000	Cu Cı			
03	035	4	8	BKN	2992	77	74	6	4000	Cu Cı			
04	030	4	8	SCT	2992	76	72	5	4000	Cu Cı			
05	030	3	8	SCT	2991	75	72	5	4000	Cu Cı			
06	030	3	8	BKN	2992	74	71	7	3000	Sc Cı			
07	040	3	8	BKN	2994	75	72	8	3000	Sc As			
08	045	4	8	BKN	2995	77	73	9	3000	Sc As			
09	050	3	10	BKN	2996	81	76	9	3500	Sc As			
10	045	2	10	BKN	2997	86	79	9	3500	Sc As			
11	060	3	10	BKN	2996	89	81	8	3500	Sc Cı			
12	090	3	10	BKN	2995	90	82	9	3500	Sc Cı			
13	115	3	10	BKN	2993	91	83	8	3500	Cu Cı			
14	—	0	10	BKN	2991	91	83	8	3500	Cu Cı			
15	—	0	10	BKN	2990	90	82	7	4000	Cu Cı			
16	—	0	10	BKN	2988	89	82	7	4000	Cu Cı			
17	125	3	10	BKN	2987	86	81	6	4000	Cu Cı			
18	—	0	10	SCT	2988	85	81	4	4500	Cu			
19	—	0	10	SCT	2989	85	81	3	4500	Cu			
20	—	0	10	SCT	2990	83	80	3	5000	Cu			
21	—	0	10	SCT	2990	81	78	2	5000	Cu			
22	120	4	10	SCT	2991	79	76	3	5000	Cu			
23	125	3	10	SCT	2991	78	75	3	5000	Cu			
24	—	0	10	SCT	2990	78	75	3	5000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 22.5

FUEL CONSUMED 0000–2400: 534

REMARKS

00-04 Moored in a nest of two ships out board to port of USS SALUTE (MSO-470) at pier L, US Naval Base, Guantanamo Bay, Cuba. SOPA is Wm. F. Buckley, RAdm., USN, COMNAVBASE, GTMO. 3 ships present include units of the U.S. Atlantic Fleet and U.S. Coast Guard. Receiving navaillance services from the pier. Ship is in condition of readiness V with material condition Yoke set.

Stuart W. Smith, Jr.
Ensign, USN

04-08 Moored as before. 0745 Mustered the crew at quarters; absentees: none.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) TUESDAY 27 OCTOBER, 19 64
(Day) (Date) (Month)

0800-1200 MOORED AS BEFORE. 0845 SET SEA DETAIL. 0855 DRAFT 10'6" FWD, 11'6" AFT. CAPTAIN AT THE CONN. 0901 UNDERWAY FROM PIER "C", U.S.N.B. GTMO, CUBA. 0926 SET CONDITION ONE HOTEL FOR DAMAGE EXERCISE. 1035 MADE DAILY INSPECTION OF MAGAZINES; ~~AMMO SPACES~~ CONDITIONS NORMAL.

J.A. King
LT, USNR

1200-1600 STEAMING AS BEFORE. 1352 SECURED CONDITION ONE HOTEL. 1400 C/C TO 140° T C/S TO 4 KTS. 1420 SET SEA DETAIL. 1430 CAPTAIN AT THE CONN. 1458 COMMENCED APPROACH ON USS RIVAL (MSO-468) AT PIER LIMA. 1515 MOORED PORT SIDE TO USS RIVAL (MSO-468) AT PIER LIMA, U.S.N.B. GTMO, CUBA. 1522 SECURED SEA DETAIL SET REGULAR IN-PORT WATCH, CONDITION 85 SHIFTS REMAINED TO USS RIVAL (MSO-468).

J.A. King
LT, USNR

1600-2400 MOORED AS BEFORE.

J.A. King
LT, USNR

2400-2400 MOORED AS BEFORE.

J.A. King
LT, USNR

APPROVED: EXAMINED:

[signature] U.S.N. COMMANDING [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-69075

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 28 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM GUANTANAMO BAY CUBA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	SCT	2989	77	75	3	5000	Cu			
02	—	0	10	SCT	2988	77	75	3	4500	Cu			
03	—	0	10	SCT	2987	77	75	2	4000	Cu			
04	—	0	10	SCT	2988	78	75	2	4000	Cu			
05	—	0	10	SCT	2987	77	75	2	4000	Cu			
06	—	0	10	SCT	2984	76	74	2	4000	Cu			
07	—	0	10	SCT	2988	77	74	2	4000	Cu			
08	—	0	10	SCT	2989	80	76	4	4000	Cu Cg			
09	100	2	12	SCT	2990	84	78	5	4500	Cu Cg			
10	105	4	12	SCT	2990	86	80	4	4500	Cu Cg			
11	120	4	12	SCT	2991	90	81	4	4000	Cu Cg			
12	145	5	12	SCT	2990	90	81	4	4000	Cu Cg			
13	140	6	12	SCT	2988	91	81	3	6500	Ac Cg			
14	140	5	12	SCT	2988	90	82	4	20000	Ci			
15	145	4	12	SCT	2987	90	83	4	20000	Ci			
16	160	5	12	SCT	2988	89	85	4	20000	Ci			
17	145	5	12	SCT	2988	88	84	3	20000	Ci			
18	140	4	10	SCT	2988	84	80	3	20000	Ci			
19	145	4	10	SCT	2987	83	79	3	20000	Ci			
20	145	3	10	SCT	2987	82	78	4	4500	Cu Cg			
21	145	2	10	SCT	2987	82	78	3	5000	Cu Ci			
22	135	2	10	SCT	2987	82	78	3	4000	Sc Cg			
23	130	2	8	BKN	2986	82	78	8	3500	Sc Cg			
24	130	2	7	RW	2986	80	78	8	3000	Ns Cg			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 180

REMARKS

0000-0400 MOORED IN A NEST OF TWO SHIPS OUTBOARD TO STARBOARD OF USS RIVAL (MSO-468) AT PIER LIMA, U.S. NAVAL BASE, GUANTANAMO BAY, CUBA. SOPA IS J.D. BULKELEY, RUDH, USN, COMMANDER SERVICE GROUP TWO. SHIPS PRESENT INCLUDE UNITS OF U.S. ATLANTIC FLEET. RECEIVING SERVICES FROM PIER. SHIP IS IN CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET.

J.A. King
LT (jg) USNR

0400-0800 MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

J.A. King
LT (jg) USNR

APPROVED:

J.D. Bulkeley
U.S.N. COMMANDING

EXAMINED:

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY MSO-519 WEDNESDAY (Day) 28 (Date) OCT (Month), 19 6K

0800-1200 MOORED AS BEFORE; 0922 MADE DAILY INSPECTION of MAGAZINES. CONDITIONS NORMAL.

[signature]
LTJG USNR

1200-1600 MOORED AS BEFORE.

[signature]
LTJG USNR

1600-2000 MOORED AS BEFORE.

[signature]
LTJG USNR

2000-2400 MOORED AS BEFORE.

[signature]
LTJG USNR

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY MSO-519 ZONE DESCRIPTION + 5 R DATE THURSDAY (Day) 29 (Date) OCTOBER (Month), 19 64

AT/PASSAGE FROM GUANTANAMO BAY, CUBA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	095	2	8	RW	2986	80	78	7	3000	Ns Cl			
02	090	3	8	SCT	2985	79	76	5	3000	Cu Cl			
03	090	2	8	SCT	2984	78	75	4	3000	Cu Cl			
04	090	2	8	SCT	2984	77	74	4	3000	Cu Cl			
05	080	2	8	SCT	2984	76	74	4	3000	Cu Cl			
06	—	0	8	SCT	2985	76	74	4	3000	Cu Cl			
07	—	0	10	SCT	2985	77	75	3	3500	Cu Cl			
08	—	0	10	SCT	2987	80	77	3	3500	Cu Cl			
09	—	0	10	SCT	2988	81	77	3	3500	Cu Cl			
10	220	2	10	SCT	2988	85	80	3	3500	Cu Cl			
11	215	3	12	SCT	2987	86	80	4	4000	Cu Cl			
12	225	4	12	SCT	2987	87	81	4	4000	Cu Cl			
13	220	6	12	BKN	2988	85	80	6	4000	Cu Cl			
14	220	4	12	BKN	2988	85	80	7	4000	Cu Cl			
15	215	5	12	BKN	2987	83	79	7	4000	Cu Cl			
16	200	4	12	BKN	2987	82	79	7	4000	Cu Cl			
17	210	3	12	BKN	2986	80	77	6	4000	Cu Cl			
18	215	3	12	BKN	2986	79	76	7	4000	Cu Cl			
19	215	3	12	BKN	2985	80	76	7	4000	Cu Cl			
20	—	0	10	BKN	2985	80	76	8	4000	Cu As			
21	—	0	10	BKN	2985	80	77	7	3500	Cu As			
22	—	0	10	BKN	2984	80	77	8	3000	St As			
23	—	0	10	OVC	2984	80	78	10	2500	Sc As			
24	—	0	10	RW	2984	80	78	10	2500	Ns As			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 265

REMARKS

00-04 MOORED IN A NEST OF TWO SHIPS, PORT SIDE TO USS RUPERT (MSO-468) AT PIER "L". US NAVAL BASE, GTMO BAY, CUBA. SOPA: COMNAVBASE GTMO. RECEIVING MISCELLANEOUS SUPPLIES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US ATLANTIC FLEET. SHIP IS IN CONDITION OF READINESS I WITH MATERIAL CONDITION YOKE SET.

LTJG USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS: ABSENTEES NONE.

LTJG USN

APPROVED: U.S.N. COMMANDING

EXAMINED: U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) THURSDAY (Day) 29 (Date) OCTOBER (Month) 19 64

ϕ8-12 MOORED AS BEFORE. ϕ955 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS: NORMAL.

J B Clark, Jr
Ensign, USNR

12-16 MOORED AS BEFORE. 143ϕ STATIONED SPECIAL SEA DETAIL 1447 UNDERWAY FROM THE SOUTHWEST SIDE OF PIER LIMA TO THE SOUTHEAST SIDE OF PIER LIMA AT THE U.S. NAVAL BASE, GITMO. MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS. 16ϕ7 MOORED STARBOARD SIDE TO PIER LIMA, US NAVAL BASE, GITMO. 1612 SECURED SPECIAL SEA DETAIL AND STATIONED INPORT WATCH.

J B Clark, Jr
Ensign, USNR

16-2ϕ MOORED AS BEFORE.

J B Clark, Jr
Ensign, USNR.

2ϕ-24 MOORED AS BEFORE.

J B Clark, Jr
Ensign, USNR.

APPROVED: EXAMINED:

U.S.N. COMMANDING U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 30 (Date) OCTOBER (Month), 19 64

AT/~~PASSAGE FROM~~ GUANTANAMO BAY, CUBA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	6	RW	2984	80	78	10	2000	Ns As			
02	—	0	7	BKN	2983	78	74	9	2500	Sc As			
03	—	0	7	BKN	2983	78	74	7	2500	Sc As			
04	—	0	8	BKN	2984	75	72	7	3000	Sc As			
05	095	2	10	SCT	2985	75	73	5	3500	Cu As			
06	—	0	10	SCT	2985	75	73	5	4000	Cu As			
07	—	0	10	SCT	2986	77	75	4	4000	Cu As			
08	—	0	10	SCT	2986	80	77	4	4500	Cu Cl			
09	—	0	10	SCT	2987	80	77	4	5000	Cu Cl			
10	—	0	10	SCT	2988	80	77	3	5000	Cu Cl			
11	—	0	10	SCT	2989	81	78	4	5200	Cu Cl			
12	—	0	8	BKN	2989	83	79	6	4000	St Cl			
13	—	0	6	RW	2987	85	81	9	3000	Ns Cl			
14	—	0	8	BKN	2986	86	82	9	3500	Cu Cl			
15	220	2	8	BKN	2984	88	83	7	3500	Cu Cl			
16	215	3	8	BKN	2983	88	82	7	3500	Cu Cl			
17	215	3	10	SCT	2983	88	82	5	3500	Cu Cl			
18	220	4	10	SCT	2984	86	82	4	4000	Cu Cl			
19	165	2	10	SCT	2984	83	80	5	4000	Cu Cl			
20	125	2	10	SCT	2984	79	76	5	4000	Cu Cl			
21	120	3	10	SCT	2985	79	76	4	4000	Cu Cl			
22	125	4	10	SCT	2985	79	76	4	4000	Cu Cl			
23	120	3	10	SCT	2986	79	76	4	4000	Cu Cl			
24	120	3	10	SCT	2986	79	76	4	4000	Cu Cl			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: .0

FUEL CONSUMED 0000-2400: 95

REMARKS

00-04 MOORED STARBOARD SIDE TO PIER LIMA, U.S. NAVAL BASE, GUANTANAMO BAY, CUBA. SOPA IS J.D. BULKELEY, RADM, USN, COMNAVBASE GITMO. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. ATLANTIC FLEET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

F B Clark
Ensign, USNR.

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

F B Clark
Ensign, USNR.

APPROVED: [signature] LT U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) FRIDAY (Day) 30 (Date) OCTOBER (Month), 19 64

0800-1200 Moored as before. 1015 Made daily inspection of magazine; conditions normal.

Stuart W. Smith, Jr.
Ensign, USN

1200-1600 Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

1600-2000 Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

2000-2400 Moored as before.

Stuart W. Smith, Jr.
Ensign, USN

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

B-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Ability MSO-519 ZONE DESCRIPTION + 5 R DATE SATURDAY (Day) 31 (Date) OCTOBER (Month) 19 64

AT/~~PASSAGE FROM~~ GUANTANAMO BAY, CUBA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	0	10	SCT	2986	78	76	2	4000	Cu Cl			
02	—	0	10	SCT	2985	77	75	2	4000	Cu Cl			
03	—	0	10	SCT	2984	76	74	2	20000	Cl			
04	—	0	10	SCT	2986	76	74	3	20000	Cl			
05	—	0	10	SCT	2987	76	74	2	20000	Cl			
06	—	0	10	SCT	2988	78	76	3	20000	Cl			
07	—	0	10	SCT	2989	78	75	4	5000	Cu Cl			
08	—	0	10	SCT	2991	80	76	4	4500	Cu Cl			
09	—	0	10	SCT	2991	85	78	4	4500	Cu Cl			
10	—	0	10	SCT	2991	86	78	4	4500	Cu Cl			
11	—	0	10	SCT	2990	86	78	4	4500	Cu Cl			
12	050	4	10	SCT	2989	87	78	3	4000	Cu			
13	045	4	10	SCT	2987	88	79	3	4000	Cu			
14	045	4	10	SCT	2985	89	80	4	4000	Cu			
15	045	3	10	SCT	2984	90	81	4	4000	Cu			
16	030	3	10	SCT	2984	87	80	3	4000	Cu			
17	015	2	10	SCT	2985	86	80	3	4000	Cu			
18	010	2	10	SCT	2987	83	78	3	4000	Cu			
19	—	0	10	SCT	2989	80	76	2	3500	Cu			
20	—	0	8	SCT	2990	81	76	2	3500	Cu			
21	—	0	8	SCT	2992	80	76	2	3000	Cu			
22	—	0	8	SCT	2993	80	77	2	3000	Cu			
23	—	0	8	SCT	2994	80	77	1	3000	Cu			
24	—	0	8	SCT	2994	80	77	1	3000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 95

REMARKS

00-04 Moored starboard side to pier L, U.S. Naval Base, Guantanamo Bay, Cuba. SOPA is W.F. Buckley, RAdm. USN, COMNAVBASE. BTNO. Ships present include units of U.S. Atlantic Fleet and U.S. Coast Guard. Receiving miscellaneous services from the pier. Ship is in condition of readiness V with material condition Yoke set.

Stuart W. Seth, Jr.
Ensign, USN

04-08 Moored as before. 0745 Mustered the crew at quarters; absentees: none.

Stuart W. Seth, Jr.
Ensign, USN

APPROVED: W B Buckley CT U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO-519) SATURDAY (Day) 31 (Date) OCTOBER (Month), 19 64

0800-1200 MOORED AS BEFORE. 1138 MADE DAILY INSPECTION OF MAGAZINE. CONDITIONS NORMAL.

J. A. King
LT, USNR

1200-1600 MOORED AS BEFORE.

J. A. King
LT, USNR

1600-2400 MOORED AS BEFORE.

J. A. King
LT, USNR

2400-2400 MOORED AS BEFORE.

J. A. King
LT, USNR

APPROVED: EXAMINED:

[signature] LT U.S.N. COMMANDING [signature] LT U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

S-63075

6

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month) , 19 _____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

VOID

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR